



Everbridge 360™ User Guide

Everbridge Suite

October 2025

Everbridge Suite
2025
Printed in the USA

Copyright © 2025. Everbridge, Inc, Confidential & Proprietary. All rights are reserved. All Everbridge products, as well as NC4, xMatters, Techwan, Previstar, one2many, SnapComms, Nixle, RedSky, and Connexient, are trademarks of Everbridge, Inc. in the USA and other countries. All other product or company names mentioned are the property of their respective owners. No part of this publication may be reproduced, transcribed, or transmitted, in any form or by any means, and may not be translated into any language without the express written permission of Everbridge.

Limit of Liability/Disclaimer of Warranty: Everbridge makes no representations or warranties of any kind with respect to this manual and the contents hereof and specifically disclaims any warranties, either expressed or implied, including merchantability or fitness for any particular purpose. In no event shall Everbridge or its subsidiaries be held liable for errors contained herein or any damages whatsoever in connection with or arising from the use of the product, the accompanying manual, or any related materials. Further, Everbridge reserves the right to change both this publication and the software programs to which it relates and to make changes from time to time to the content hereof with no obligation to notify any person or organization of such revisions or changes.

This document and all Everbridge technical publications and computer programs contain the proprietary confidential information of Everbridge and their possession and use are subject to the confidentiality and other restrictions set forth in the license agreement entered into between Everbridge and its licensees. No title or ownership of Everbridge software is transferred, and any use of the product and its related materials beyond the terms on the applicable license, without the express written authorization of Everbridge, is prohibited. If you are not an Everbridge licensee and the intended recipient of this document, return to Everbridge, Inc., 155 N. Lake Avenue, Pasadena, CA 91101.

Export Restrictions: The recipient agrees to comply in all respects with any governmental laws, orders, other restrictions ("Export Restrictions") on the export or re-export of the software or related documentation imposed by the government of the United States and the country in which the authorized unit is located. The recipient shall not commit any act of omission that will result in a breach of any such export restrictions.

Everbridge, Inc.
155 N. Lake Avenue, 9th Floor
Pasadena, California 91101 USA
Toll-Free (USA/Canada) +1.888.366.4911
Visit us at www.everbridge.com

Everbridge software is covered by US Patent Nos. 6,937,147; 7,148,795; 7,567,262; 7,623,027; 7,664,233; 7,895,263; 8,068,020; 8,149,995; 8,175,224; 8,280,012; 8,417,553; 8,660,240; 8,880,583; 9,391,855. Other patents pending.

What is Everbridge 360™?	5
Enabling Everbridge 360	5
Enabling Everbridge 360 at the Organization Level	6
Applying the Interface at the User Level	9
Navigation Menu	10
Communications Workflow	13
Launching a Communication from Everbridge 360™	14
Communications Title and Description	14
Communications Toolbar	15
Step 1: Event Type	16
Step 2: Communication Templates and Delivery Paths	16
Step 3: Configure Public Settings	22
Step 4: Configure the Message	23
Step 5: Recipient Management	26
Step 6: Settings	32
Step 7: Review and Send	34
Launching a Communication from an Alert	37
Permission Requirements	40
Important Considerations	41
Scheduling Communications	42
Creating a Scheduled Communication	43
Scheduled Communications List	49
Known Limitations	52
Communication List	53
Communication Details	54
Communication Details	55
Sending a Communication Update	57
Closing a Communication	64
Activate Communication	68
Launch New Communication	69
Widgets	71
Exports	87
Using Communication Notes	94
Rich Text Editor Best Practices for Custom Delivery Paths	97
Using Images	97
Using Tables	98
Converting Text to HTML	98
Copying Content Without Characters or Formatting	98
Event Types	99
Configuration of Event Types	100
New Event Type	103
New Event Type Subcategory	105
Communications Variable Library	106
Variable Library Overview	106
Search, Filter, and My Variables	106
Managing Variables	108
Creating Communications Variables	111

Communications Templates.....	117
Communications Template Library	117
Launching a Template	119
Editing a Template	120
Renaming a Template	121
Deleting a Template	122
Duplicating a Template	123
Setting a Template to a Draft State	124
Moving a Template	125
Previewing a Template	126
Searching for Communications Templates.....	127
Filtering Templates	128
Creating Communications Templates.....	131

What is Everbridge 360™?

Everbridge 360™ is your one platform for enterprise resilience for all organizational roles. It is designed to allow effortless experience across all Everbridge product lines. In building an effortless experience, we can ensure:

- **Faster**, more **accurate** responses to **external** and **internal** threats.
- **Managing** what is important – your **People** and **Assets**.
- **Resilience** = **Proactive**, not reactive.
- Enterprise-class **reliability** and **scale**.
- **Open Extensible** Platform.

Everbridge 360™ includes the following features:

- Combined collapsible left-side **Apps Menu** to allow for seamless navigation across all applications and modules.
- New **Event Types** with predetermined event categories based on risk intelligence feeds with the ability to create custom event types to link together events, alerts, and templates, decreasing the mean time to communicate.
- New **Communications Workflow**, combining the best of both worlds between the preexisting Notification and Incidents functionality with new feature enhancements to optimize the launch process, reduce training time, reduce the opportunity for errors, and help mitigate the “fear of sending out.”
- Enhancements for the Communications Workflow, including:
 - Event-driven communications.
 - Title of a Communication differentiated from message subject line.
 - Ad-hoc Communication based on the Organization's default settings.
 - Preview templates before using them.
 - Ability to customize attachments and contacts for each Communication.
 - Ability to add/exclude/remove recipients for each Communication.

Enabling Everbridge 360


For a Manager Portal user to utilize the Everbridge 360 interface and features, it must first be enabled in two places:

1. Administrators must enable it at the Organization level.
 - The **Communications** module can also be enabled here.
2. Users can then apply it to their profiles from the personal User level.


Enabling Everbridge 360 at the Organization Level

Administrators can use the **Everbridge 360** toggle to enable Everbridge 360 for their entire Organization. To do this:

1. Navigate to **Organization Settings > Everbridge 360 > Default Settings**.
2. Click the **Everbridge 360** toggle to enable it.




The page will reload with the Everbridge 360 interface applied.



Communications Toggle

The **Communications** toggle allows Organization Administrators to control access to the enhanced Communications module. This toggle allows Organizations to


adopt the next-generation Communications platform at their own pace while maintaining full access to existing Mass Notification and Incident Communications functionality.



NOTE: The Everbridge 360 toggle above must be enabled in order to turn on Communications.

When the **Communications** toggle is **ON**:

- The enhanced **Communications** module appears in the left-side navigation menu.




- Users can create, launch, and manage Communications using the unified platform.
- Access to advanced template management, real-time monitoring, and enhanced workflow features.
- Existing Mass Notification and Incident Communications remain available for comparison and transition support.

When the **Communications** toggle is **OFF**:

- The Communications module is hidden from the navigation menu and Everbridge 360 user interface.
- Users continue to access Mass Notification and Incident Communications through the Classic modules.
- All existing functionality remains unchanged and fully operational.
- Previously created Communications module data is preserved but not visible.



Applying the Interface at the User Level

Once enabled for an Organization by its Administrator, each user will have a new toggle to apply the Everbridge 360 interface while simultaneously retaining access to existing modules like Notifications and Incidents. If they'd rather continue to use the Everbridge Classic interface, they're welcome to turn the toggle **OFF** to revert to the original styling.



Navigation Menu

The new left-side navigation menu is the gateway to Everbridge 360™. It combines all the products you know and love but in an easier-to-navigate menu in a combined platform experience, exposing those areas that you need the most to the surface.

Menu Items	Collapsed View	Expanded View
• Home • Situational Awareness ◦ Universe ◦ Visual Command Center • Communications ◦ Notifications ◦ Incidents ◦ Communications ◦ SnapComms • Crisis Management ◦ Launch Critical Event ◦ Events ◦ Submissions ◦ Reports ◦ Critical Event Templates ◦ Task List Templates ◦ Document Library ◦ Widget Library ◦ Form Library ◦ Audit Log • Contacts + Assets ◦ Contacts ◦ Assets		

Menu Items	Collapsed View	Expanded View
• Reports + Analytics ◦ Reports ◦ Analytics • Travel Risk Management ◦ Travel Risk Intelligence ◦ Traveler Alerts ◦ Booking Alerts ◦ Country Risk Traveler Report ◦ Arrival and Departure Report ◦ Travel Report Scheduling ◦ Custom Travel Reports • ITA ◦ Open Incidents ◦ Trends ◦ Operations • Workflow ◦ CEM Orchestration ◦ Flow Designer • Travel Risk Management • ITA • Settings ◦ Organization ◦ Member Portal ◦ Everbridge Open ◦ Everbridge Mobile App		

Menu Items	Collapsed View	Expanded View
Access		

Communications Workflow

When responding to a situation, you need to choose the action that represents the best way to handle the situation. For example, a hurricane is approaching one of your main warehouses and a watch has been called. The storm has already reached Category 2, and 20 employees and contractors work in the warehouse.

With **Communications**, you can use quick, template-based, automated messaging or ad-hoc messaging for responding to events within a company, organization, or government office. In the example above, you can launch a Communication to inform your contacts that they should go to a place of safety.


Alternatively, you may have a situation that does not immediately have a high impact but has the potential to develop a higher severity. For example, a tropical storm is approaching your offices in Australia. It is projected to make landfall within the next three to four days. In this case, you may want to inform your contacts, but no immediate action is required.

Launching a Communication from Everbridge 360™


From **Communications** in the Left Menu, click **Launch Communication**. The **Launch Communication** page is displayed.

Communications Title and Description

Everbridge will automatically suggest a title for your Communication based on the Event Type chosen in Step 1. Click the pencil icon to edit the title.



If desired, click **Enter a communication description** to add a description for your Communication.




Once a Communication is sent, the title becomes the Communication Name on the **Communications History** page. It will also become the Incident Name on the **Incidents > Open/History** page.

NOTE: The name of the message can contain up to 255 characters. **Communication Description** is an optional field intended for future functionality, which will contain up to 500 characters.


Communications Toolbar

The **Communications Toolbar** can be found at the bottom of the **Launch Communication** page and moves with it as you scroll, allowing its menu items to be accessed at any time.



Training Mode

Training Mode allows users to practice composing and launching Communications without sending them to real contacts. They'll be identified in the **Communications History** with a textbook icon. 📖




Schedule Communication

Click **Schedule Communication** to create a Communication that will be sent out at a specified time and date at various recurring intervals. See [Scheduling Communications](#) for more details.

Step 1: Event Type

Choose an **Event Type** from the dropdown menu that best matches the Communication being sent. This selection will determine which Communication templates are recommended in the next step and will automatically set a Communication name if one hasn't already been added. See [Event Types](#) for more details.



Step 2: Communication Templates and Delivery Paths

Everbridge 360™ automatically pulls from existing Communications templates, as well as legacy Notification and Incident templates.

Communication and Notification Template Considerations

Please see the following tied to Notification templates:


- When Everbridge 360™ is enabled for an Organization, all Notification Templates will be automatically duplicated/cloned as an Incident Template.
- The cloned Template will include the latest modifications to the Notification Template.
- The cloned Template will be deleted if the associated Notification Template is deleted.
- Naming convention for the cloned Template - <Name of Notification Template>_<Template ID>.

- Notification Templates that have the same Category name as the Incident Template Category name will be merged under the same Category when viewed under Communications.
- Notification Templates that have a different Category name will be listed under the respective Category when viewed under Communications.
- Organization Administrators and Incident Administrators will have no access to view the cloned Templates on the Incident Templates list page, thereby preventing any modifications to these Templates.

Choosing a Template

Once an Event Type has been selected, any templates assigned to the chosen Event Type will be suggested for use. For ease of use, each suggested template tile displays:

- Template title
- Event Type(s) assigned to the template
- Last used date
- Template category



Click a suggested template to apply it and prefill the following information:

- Predefined message content
- Template Delivery Paths
- Variables
- Recipients

If the Event Type-specific template suggestions aren't appropriate for this


Communication, click the **Suggest By** dropdown to instead filter suggestions by Most Recently Used or Most Recently Updated.

- NOTE: If no Event Type is selected for Step 1, then the suggested templates will be filtered by Most Recently Used by default.



Searching Templates

If none of the suggested templates match the Communication's needs, click **Search Templates** to locate a different one.




There are a few things to keep in mind when searching for templates:

- **Search Template** will display all templates that the user has access to.
- Templates can be searched within a selected Category, Event Type, or from **All**.
- The **Suggested** section can be filtered by Event Type, Most Recently Used, or Most Recently Updated.
- Users can click **Legacy Templates** above the search bar to browse Legacy Incident Communications and Mass Notification templates.


View or Change Applied Template

Once a template has been applied, clicking the title of the selected template will expose its details, including Category, Created By, Updated On, and Last Used. Users can choose to replace the template as needed by clicking **Select a Different Template**.



Message Paths

Once a template has been selected, click **Edit Paths** to adjust the message's Delivery and Publishing Paths.



Select the desired Delivery Paths from the SMS, Email, Voice, Mobile App, Plain Text, and Business messaging Apps sub-tabs. Once finished, click **Save**.

Message Paths

Select the Delivery Paths for your message.

Delivery Paths

SMS

✓ Email 2

✓ Voice 2

✓ Mobile App 1

✓ Plain Text 2

✓ Business Messaging Apps 2

SMS

sms1

sms2

☒

Default ☒

Default ☒

Cancel

Save

If you've chosen an Incident template rather than a Notification Template, you can populate the information in the variable information fields of your template form.

Flood - Response Activation

All "Variables"

› Templates in Use

▼ Flood - Response Activation 1

*1. Action to Take

Move immediately to higher ground or stay on high ground.
Continue to check the media for emergency information.
Follow instructions from public safety officials.

162/2000

*2. Location 1

Write text here

0/260

3. Category


Search or select a value

To complete variables:

1. Complete the fields with your situation-specific information. The available fields depend on how the template has been configured by your Administrators.
 - Required fields are indicated with a red asterisk(*)
 - Fields in white are editable. Fields in gray cannot be changed.
2. Click **Apply Variables at the bottom** to use the selected values in the following sections.

Ad-Hoc Communications

By clicking **Send Without Template**, users can also send a message ad-hoc without a preexisting template using their Organization's default settings and permissions. Message templates will be recommended based on the chosen Event Type and the name of the template containing the event name. If the template desired template is not automatically shown, they can be searched for.



Message delivery paths for an ad-hoc Communication will default to the Organization settings but can be changed to Custom. Templates will have predefined delivery paths. You may or may not be able to change custom paths when sending a Communication.

NOTE: Available delivery paths are configured by an Account or Organization Administrator under **Settings > Organization > Notifications > Delivery Methods**.

Step 3: Configure Public Settings

Continue to the **Configure Public Settings** section, where the Communication's priority can be set as follows:



- **Imminent Threat to Life** (if enabled for Organization) - Communications flagged with **Imminent Threat to Life** (ITL) mean the event:
 - has just occurred (for example, an earthquake, volcanic eruption, or failed life-support system), or
 - is in progress (for example, an active shooter or nuclear power plant emergency), or
 - is expected to happen today (for example, severe weather), or
 - the lives or safety of message recipients are immediately at risk.
 - (only applies to Apple/iOS devices) becomes a critical alert when the message is sent to Everbridge Mobile App. Critical alerts:
 - make an audio sound when delivered, even if your device is silent. (If your device is not on silent, the audio tone is based on your selections in app settings).
 - are displayed until you tap on it.
 - are displayed with a warning icon.
 - **An Active Shooter event** in the proximity of a recipient's location, or a life-threatening weather event are both examples of ITL situations.

The following Communications are not typically considered Imminent Threats to Life:

- Communications to recipients to inform them of an active shooter at another location, a weather event that will impact a different location, or a weather event that is still days away.
- Communications sent after the initial ITL message UNLESS there is a material change from the initial Communication AND the change results in an immediate increased risk to life and safety.
- Communications sent to recipients who are not at risk for life and safety regardless of the type of Incident.
- **High Priority** - High-priority messages are given priority in your message queue and are flagged in your recipients' inbox.
- **Standard** - No priority has been given.

Step 4: Configure the Message

To configure your message:

1. **Exercise Mode:** Communications sent in Exercise Mode are meant to test communication plans, such as allowing recipients to practice receiving and responding to messages similar to those they'd see in a real emergency. The **[DRILL]** tag will be prepended to the message's Subject and Body so that contacts will immediately know that it's an exercise.
2. Specify your message type. There are three types of messages:
 - **Standard** - Standard messages are used to send communication to people through a variety of methods including voice, text, and email. Confirmations can be requested from contacts that receive standard messages. Standard Messages can be emergency messages or informational messages.
 - **Polling** - Polling messages are for sending a Communication to contacts and presenting them with a menu of responses for them to choose from. When contacts receive the message, they can reply with one of the choices. Then users can view the responses to know each contact's answer.
 - A polling message can have a quota associated with it. This is when not only a response is requested but a certain number of responses are needed. A quota might be for people, such as locating employees to work overtime or volunteers to staff an event
 - **Conference** - Conference messages are messages that ask contacts to join a conference call. This could be an emergency where contacts need to discuss a situation immediately or it might be a convenient way to pull in a team for a weekly status meeting.
3. Add a **Subject** and your message's **Body** text. The body field can accommodate 2500 characters for Email/Fax, and 459 characters for SMS.
 - The subject of your message will be automatically configured based on the event type chosen. In the **Subject** field, you can amend the title of your message.
4. Click **Add Custom Message** to add a message to the previously selected Message Paths for the Communication. Everbridge recommends you always send custom messages per delivery method, if possible. This helps to avoid message fatigue and enables contacts to consume messages in the most efficient way possible, per device.

4

Configure the Message

Exercise Mode
Standard
Polling
Conference

Subject
Hazmat Incident - Status Check Poll

Message Body
+
Add Custom Message

Default Message
Home Email, Home Phone, email2, extension phone, rts team, mobile push alert, slack, PlainTextEmail-...

Default Message
This is an urgent status check regarding the hazmat incident. Your immediate response is required for emergency response coordination.

Please respond to this safety check.

Email/Fax: 2291 SMS: 286 Estimated SMS Messages 2

Poll Responses


Polling
1 I safely evacuated.
2 I need assistance.
Add Another

Attachments
Add

Use Quotas

When adding a custom **message path** you can use the same text for all your delivery methods, or you can choose to have separate text for SMS, Email, Voice, Mobile App, and Plain Text. See [Rich Text Editor Best Practices for](#)

Custom Delivery Paths for more on configuring custom messages.



Customize Message Paths


Please select the delivery paths for which you would like to define customized content

Default Message	☒
SMS	☐
Email	☐
Mobile App	☐
Everbridge Web Widget	☐
Alertus	☐
Member Portal	☐
Facebook	☐
X (Twitter)	☐
Everbridge Network	☐

Cancel
Save

5. Select **Add** under the **Attachments** section at the end of Step 3 to attach up to five files to a message. The maximum file size is 20 MB. If an attachment is more than 20 MB, it will be sent as a link in the Communication. Each filename should be no more than 80 characters. You can attach files if the

Communication is to be sent via email or the Everbridge Mobile App.



Step 5: Recipient Management

Choose the Contacts that will receive the Communication. Recipients identified via Groups, Individuals, Rules, and the Map may be prefilled based on the template chosen and the Alert for users launching a Communication from Visual Command Center.

NOTE: Logic for Recipients in the Area:

From a VCC Alert - Contacts within the specified Map/Polygon of the selected Template, as well as Contacts within the Polygon of the Alert itself.

Without an Alert - Contacts within the Map/Polygon of the selected Template (if it contains a Map/Polygon).

1. Under **Add Recipients**, you can configure who you want to send a Communication to. A Communication may already have some predefined contacts. However, in the moment and if permitted, you may want to add more contacts to a Communication depending on the situation. Depending on your requirements, select the individuals and groups you want to send the Communication to.

5

Add Recipients

Search by individual, group or rule name or by group description
Advanced

Hide Recipient Selector
Clear all

Groups
Individuals
Rules

Group Name	Created On	Created By	Updated On	Updated By
> ☐ NotJustPrime	Jan 6, 2025	Joshua	Jan 6, 2025	Joshua
> ☐ Perf100KContacts	Aug 26, 2024	Simon	Aug 27, 2024	Simon
☐ Perf10KContacts	Aug 26, 2024	Simon	Aug 27, 2024	Simon
☐ Perf50KContacts	Aug 26, 2024	Simon	Aug 27, 2024	Simon
☐ Podlucky	Feb 19, 2025	James	Feb 20, 2025	James
> ☐ Simon Beijing	Aug 19, 2024	Simon	Aug 19, 2024	Simon
> ☐ Simon parent group 1	Aug 19, 2024	Simon	Aug 19, 2024	Simon
☐ Simon_1	Jul 22, 2024	Simon	Aug 7, 2024	Simon
☐ Simon_A	Jul 22, 2024	Simon	Jul 22, 2024	Simon
☐ Wendy Business Message App Contacts	Nov 3, 2024	Wendy	Nov 3, 2024	Wendy

Selected Recipients
11 Unique Recipients

Groups
0

Individuals
Details
11

Rules
0

Excluded
0

Note that the available data columns present on the **Individuals** tab of the recipient-picker are determined by the choices specified under **Settings > Organization > Everbridge 360 > Communication Recipients**.

everbridge
VCC SaaS Devs (Organization Admin)
Everbridge 360

Organization
Member Portal
Everbridge Open
Everbridge Mobile App

Organization
Map
Interactive Visibility
Publishing Options
Notifications
Contacts/Assets
ITA
Critical Event
Everbridge 360
Default Settings
Event Types
Communications Recipients

Communications Recipients


Select the Contact attributes to be displayed for individual recipient selection in Communications. You can select up to five attributes in addition to the first three default attributes. In Communications, all the selected attributes will be displayed for individual recipient selection.

Sequence	Custom	Name
1	N	First Name
2	N	Last Name
3	N	External ID
☒ 4	Y	Strategic BU
☒ 5	Y	Department
☒ 6	Y	Region
☒ 7	Y	Email


Add

- **Groups** - Click **Groups** to select groups your Organization has created.


- **Individuals** - Click **Individuals** to select individuals by name.
- **Rules** - Click **Rules** to apply rules that your Organization has defined to select contacts with certain attributes. Rules are preconfigured by your Incident Administrator.
- **Map** - Click **Map** to open an interactive map and select recipients by drawing a shape to capture any Contacts within its borders. Select the desired Shape type at the top (Radius, Rectangle, Area), click the area of the Map to start the shape, then drag it as needed to stretch, resize, or move. Note that the Area type requires a double-click to close the shape. Ensure that the **Include Recipients in the Area** option is toggled On.




The Map can be viewed in fullscreen by clicking the **Expand** icon in its top-right corner, offering the operator more room to accurately isolate the correct recipients. It can be collapsed again by clicking the **Collapse** icon. Any shapes drawn in either mode will be retained.




Click the **Selection** widget to apply **Location Type** (Static Location, Last Known Location, and Expected Location, which includes Travel) and **Contact Type** filters.



Users can search for specific locations in the **Search** bar at the top of the modal, which will create a **Location** spot on the Map. The Location can be as specific as a singular address or as broad as a continent.




Click the **Details** button on the **In Area** widget at the bottom of the modal to review the recipients captured by the drawn Map area.




Individual recipients can be viewed and removed from the selection by


clicking the **View** or **Exclude** buttons, respectively.



2. Clicking the count of unique recipients opens the **Recipient Details** modal, which displays recipients that have been added via Groups, Individuals, Rules, or as a recipient in the area.



Click the **View** icon to see how a specific contact was included (via Groups, Rules, etc.), or click the **Exclude** icon to remove recipients from Communication without impacting Groups or Rules.




3. Click **Done** to finish setting the Recipients.

Step 6: Settings

1. Click the **Settings** cog icon on the **Communications Toolbar** to configure the message settings, which allow you to adjust different options to optimize your message.


- **Content** - The language setting for communication that dictates the language in which contacts receive voice and email prompts. This setting does not translate any text entered in the title or body of a communication, nor does it translate the text-to-speech message. However, the text-to-speech message will be read using the selected language's accent.



The screenshot shows the 'Settings' dialog box with four tabs: 'Content', 'Delivery', 'Sender Information', and 'Recipient Interaction'. The 'Content' tab is active, displaying a 'Language' dropdown menu with 'English (US)' selected. At the bottom right, there are 'Cancel' and 'Save' buttons.

- **Delivery**
 - **Order** - There are three different delivery order modes in Everbridge Suite settings:
 - **Organization Default** - Uses the sequence specified in the organization's settings tab for notification delivery methods,
 - **Contact Preferred** - Uses the sequence specified in each contact's record,
 - **One-Time Custom** - Uses the sequence specified at a notification's creation, and overrides all other preferences.
 - **Wait Between Delivery Paths** - Controls how long the system waits before moving on to the next delivery method for a contact.
 - **Contact Cycles** - Controls how many times Everbridge attempts to deliver the message across all of the device types for the contact.
 - **Wait Time Between Cycles** - Controls how long the system waits before starting another cycle of Communication.

- **Broadcast Duration** - Controls how long the Communication is active to send messages and receive confirmations.



Settings

Content **Delivery** Sender Information Recipient Interaction

Order ⓘ Organization Default

Wait Between Delivery Paths ⓘ 0 Minutes


Contact Cycles ⓘ 1

Wait Time Between Cycles ⓘ 0 Minutes

Broadcast Duration ⓘ 1 Hours

Cancel Save

- **Sender Information** - Specify the following information:
 - **Email Sender Name** - Allows you to change the address to something that is recognizable to the contacts, so they are more likely to open it.
 - **Reply to Email** - Allows you to set a custom email that your contacts can reply to for more information.
 - **Caller ID** - Allows you to change the phone number that your contacts see displayed when they receive a Communication via phone.



Settings

Content Delivery **Sender Information** Recipient Interaction

E-mail Sender Name ⓘ Email Sender Name
EverbridgeEnterpriseAlerts

Reply to Email ⓘ Organization default

Caller ID ⓘ United States +1 616 780 <Default>

Brazil +55 11 2345

United Kingdom +44 121 234

Cancel Save

- **Recipient Action** - Configure the below options:
 - **Request Confirmation** - Allows you to request that your contacts confirm that they have received the message. It also stops any further attempts to reach contacts.
 - **Everbridge Mobile App** - Allows you to control various settings related specifically to the Everbridge Mobile App, such as:
 - Request Location

- Request Image
- Request Additional Information
- Enable Sharing Options
- **Voicemail Preference** - Controls what Everbridge does when leaving a voice message. You can select whether to end the call, leave a message, or leave a message with call-back information to confirm that it was received.

Settings

Content

Delivery

Sender Information

Recipient Interaction

Request Confirmation ⓘ

Everbridge Mobile App

Request Location ⓘ

Request Image ⓘ

Request Additional Information ⓘ

Enable Sharing Options ⓘ

Voice Mail Preference ⓘ

☒

☒

☒

☒

☒

☒

Message Only

Cancel

Save

Step 7: Review and Send

1. Click **Review** on the **Communications Toolbar** to review SMS, Email, Voice, Mobile App, and Plain Text delivery paths before sending with the context of the number of recipients, send time, and whether the message is being sent during the day or night. **Voice** is a recording that can be listened to prior to

launch.

Review

Send Time Send Immediately 13:37 PST

Event Type HAZMAT/Fire

Title HAZMAT/Fire - Feb 27, 2025

Template Hazmat Incident - Status Check Poll

Delivery Paths

Home Email Home Phone email2
extension phone ms team mobile push alert
slack PlainTextEmail-1Way
PlainTextEmail-2Way

Recipients

11 Unique Recipients [View All](#)

Groups	Total
0	0
Rules	Total
0	0
Individual Recipients	Total 11

Device Preview

Email Voice Mobile App Plain Text Business Messaging Apps

Hazmat Incident - Status Check Poll
From: Paul

Welcome to VCC Common Org.

MacBook Pro


Back Launch Communication

2. Once all required fields have been completed and variables have been applied, the **Launch Communication** button on the **Communication Toolbar** will turn blue to enable sending the Communication. Click it to start the launch.



3. The **Launching Communication** modal will appear with two options:
 1. **Stop Communication** - This allows the user to pause the launch and return to the previous screen to correct any possible errors.

2. **Launch Immediately** - Launches the Communication and closes the modal.



- **NOTE:** If neither option is selected, the Communication will automatically launch after the modal times out.


Launching a Communication from an Alert

Communications can be launched directly from an Alert from both the Alert Management and Visual Command Center interfaces, allowing operators to inherit crucial details from the Alert and apply them to the Communication to save time, such as any included shapes.


NOTE: This page describes launching a Communication from the **Alert Management** interface, but note that the logic and process are the same when launching from an Alert in Visual Command Center.

To launch a Communication from an Alert:

1. Navigate to **Alert Management**.
2. Click the desired Alert to open its **Alert Details** page.
3. Click **Launch Communication** from the **Actions** toolbar.



4. The **Launch Communication** modal will open. Select the applicable Event Type from the dropdown menu, which will be used to suggest Communication Templates in the next step.



5. Select an appropriate Communication Template for the situation, or select **Send Without a Template**.

Dense Fog Advisory - Nebraska, Wyoming - Oct 15, 2025

Enter a communication description

1 Type to search or select an Event Type
Air Quality

2 Select the Communication Template to Use

Select a Different Template

> Air Quality

11 Delivery Paths Edit Paths

Use Template Map Shapes

- Note that if the selected Communication Template contains a Map Shape, the **Use Template Map Shapes** toggle will appear. By default, the system applies the polygons from the base Alert to the Communication area to ensure accuracy in reaching impacted individuals, even if the selected template includes its own shapes. Selecting this option replaces the Alert polygons with the shapes defined in the chosen template, instead. Click **Use Template Shapes** on the confirmation modal to proceed.

Dense Fog Advisory - Nebraska, Wyoming - Oct 15, 2025

Enter a communication description

1 Type to search or select an Event Type
Air Quality

2 Select the Communication Template to Use

Select a Different Template

> Air Quality

11 Delivery Paths Edit Paths

Use Template Map Shapes

This will replace the map shapes from the alert with the shapes from the template. Do you want to continue?

Cancel Use Template Shapes

Use Template Map Shapes


3 Configure Public Settings

Standard Send to Public

Cancel Training Live Review Launch Communication


6. Follow **Steps 2-4** (starting at [Message Paths](#)) as outlined in [Launching a Communication from Everbridge 360](#) to configure in the Communication's Delivery Paths, Public Settings and Message.
7. Under **Add Recipients**, select the Contacts that will receive this Communication via Individuals, Groups, Rules, or the Map. Note that Alert-based Communications are most effective when sent using the **Map** option. Use either:

- **Alert Shapes** - By default, the Communication will apply the shapes included in the base Alert. Clicking **Include Recipients in the Area** will allow any Contacts contained within that shape to be included as a recipient for the Communication. Note that in the image below, the inherited Alert shape contains zero recipients, so using the Template's larger shape may be a better choice for a location-based Communication, instead.



- **Template Shapes** - If the **Use Template Map Shapes** option was selected in Step 5, then the shape included in the chosen Communication Template will appear here instead of the Alert's shape. Clicking **Include Recipients in the Area** will allow any Contacts contained

within that shape to be included as a recipient for the Communication



8. Continue with **Steps 6-7** of [Launching a Communication from Everbridge 360](#) to configure the Communication Settings and perform the pre-launch Review.
9. Click **Launch Communication**.

Permission Requirements

The following permissions are required for operators to use the Communication Template's shape instead of the Alert's shape:

- **View Permissions for Contacts:**
 - Users can see polygons but cannot edit them.
 - Polygons are read-only in the interface.
 - Visual indicators of read-only status.
- **Edit Permissions for Contacts:**
 - Users can edit template polygons (in a non-Alert context).
 - Can modify polygon boundaries.
 - Can change Location Type.
 - Can change Contact Type.

Alert Polygon Restrictions

The following restrictions apply when working with Alert polygons to maintain integrity of Alert-defined areas:

- Alert polygons are **ALWAYS** read-only.
- They cannot be edited, even with **Edit** permissions.

Important Considerations


Keep the following considerations in mind when launching a Communication from an Alert:

- The Communication will automatically inherit and apply the base Alert's map shapes unless the **Use Template Map Shapes** option is selected.
- Both shape options (Alert's shape and the Communication Template's shape) require that the operator select the **Include Recipients In Area** toggle in the **Add Recipients** section in order to capture the recipients within its boundaries.
- Depending on the specific use case, the template's shape provides the following benefits:
 - Provides predefined Communication areas that match business needs.
 - Enforces standardized geographic boundaries for specific scenarios.
 - Template-based areas that may be broader or more specific than the base Alert.

Scheduling Communications

Users can create one-time or recurring **Scheduled Communications** using either Templates or custom messages, allowing them to maintain complete control over the schedules, such as editing the message content, adjusting delivery timing, temporarily pausing recurring schedules, or deleting schedules entirely. This lets Organizations prepare Communications during their normal business hours and send them automatically when stakeholders need them most.


Scheduled Communications can be created and managed from **Communications > Everbridge 360 > Scheduled**.




Creating a Scheduled Communication

Scheduled Communications can be created from either the **Communications List** or **Scheduled Communications** pages. To schedule a Communication:

1. Click **Launch Communication**.



2. The **Launch Communication** page will open. Follow the **Steps 1-6** as outlined in [Launching a Communication from Everbridge 360](#) to create a Communication either with or without a Communication Template.
3. Once the Communication has been configured as desired, click **Schedule Communication** on the **Communications Toolbar**.



4. The **Schedule Communication** modal will open. Name the Schedule (or keep the default name), then choose from one of the following **Frequency** options:
 - **One Time** - Schedules the Communication to be launched a single time at a specified time and date.

Schedule Communication

Schedule Name
Department Reminders


Frequency
One Time

Date
10/15/2025
MM/DD/YYYY


09:00 AM
HH:MM AM/PM

Cancel
Schedule

- Choose the **Date** from the date-picker, which is also present on the rest of the **Frequency** options.



- Choose the **Time** from the time-picker, which is also present on the rest of the **Frequency** options.



- **Daily** - Schedules the Communication to be sent daily at a certain time for a specified period of time. Choose the Repetition interval, Start Date,

End Date, Launch Time, and Time Zone.

Schedule Communication

Schedule Name

Daily Department Reminders

Frequency

Daily

Repeat Every

Day

1

Start Date

Date

10/15/2025

MM/DD/YYYY

End Date

Date

10/15/2026

MM/DD/YYYY

Launch Time

09:00 AM

HH:MM AM/PM

Time Zone

Time Zone

(GMT-07:00) Pacific Dayli...

Cancel

Schedule

- **Weekly** - Schedules the Communication to be sent on a weekly basis for a specified period of time by selecting the repetition pattern, the

desired weekday, Start Date, End Date, Launch Time, and Time zone.

Schedule Communication

Schedule Name

Weekly Department Reminders

Frequency

Weekly

Repeat Every

Week

1

Repeat On

Su

M

T

W

T

F

Sa

Start Date

Date

10/15/2025

MM/DD/YYYY

End Date

Date

10/15/2026

MM/DD/YYYY

Launch Time

09:00 AM

HH:MM AM/PM

Time Zone

Time Zone

(GMT-07:00) Pacific Dayli...

Cancel

Schedule

- **Monthly** - Schedules the Communication to be sent on a monthly basis for a specified period of time. Choose the repetition pattern, Start Date, End Date, Launch Time, and Time Zone.

Schedule Communication

Schedule Name
Monthly Department Reminders

Frequency
Monthly

Repeat On
☒ Date of Month 15 of every Month 1
☐ Place in Month Third Date of week Wednes... of every Month 1

Start Date
Date
10/15/2025
MM/DD/YYYY

End Date
Date
10/15/2026
MM/DD/YYYY

Launch Time
12:00 PM
HH:MM AM/PM

Time Zone
Time Zone
(GMT-07:00) Pacific Dayli...

Cancel Schedule

Under **Repeat On**, select either:

- **Date of Month** every X amount months.

Repeat On
☒ Date of Month 15 of every Month 1
☐ Place in Month First Date of week Tuesday of every Month 1

- **Place in Month** (First, Second, etc.), **Day of the Week**, of every X amount of months.

Repeat On
☐ Date of Month 15 of every Month 1
☒ Place in Month Third Date of week Wednes... of every Month 1

- **Yearly** - Schedules the Communication to be sent on a yearly basis. Choose the repetition frequency, Start Date, End Date, Launch Time, and Time Zone.

Schedule Communication

Schedule Name
Yearly Department Reminders

Frequency
Yearly

Repeat Every
Year
1

Start Date
Date
10/15/2025
MM/DD/YYYY

End Date
Date
10/15/2026
MM/DD/YYYY

Launch Time
12:00 PM
HH:MM AM/PM

Time Zone
Time Zone
(GMT-07:00) Pacific Dayli...


Cancel Schedule

5. Click **Schedule** to save the launch schedule
6. The **Schedule Communication** modal will close. Review the Communication for accuracy, then click **Schedule Communication** from the **Communications Toolbar**.

Cancel Training ☒ Live Review **Schedule Communication**

The newly-scheduled Communication will now appear in the **Scheduled Communications** list.


It will also be displayed in the **Communications List** with a **Calendar** icon to indicate that it's a Scheduled Communication.



Status	Priority	Name	Event Type	Launch Time	Launched By
Active	Standard	General - Oct 13, 2025	General	3h ago	User Interface
Active	Standard	General - Oct 11, 2025	General	6h ago	Communication Schedule
Active	Standard	Daily comms operator publishing and a contac...	General	6h ago	Communication Schedule
Active	Standard	General simon IC admin daily total 6 - Oct 2, 2...	General	7h ago	Communication Schedule

Scheduled Communications List


All Scheduled Communications can be seen and managed from the list view on the **Scheduled Communications** page. The **Frequency** column displays the scheduling type (Recurring, One Time, or Fixed Interval), while the **Next Launch** column displays the next scheduled launch time. The **Calendar** icon next to the Communication name indicates that it's a Scheduled Communication, while Paused Communications are denoted with a **Pause** icon, and Ended Communications with a **Stop** icon.



Name	Subject	Event Type	Last Modified By	Frequency	Start Date	Next Launch
General - Oct 14, 2025	IC expected now D...	General		Recurring	2025-10-14 04:10 PM GMT+13	2025-10-15 04:10 PM GMT+13
Daily IC base no map 1606 - Oct...	Daily IC base no ma...	General		OneTime	2025-10-14 04:17 PM GMT+13	
Real Daily IC Expected Custom ...	Real Daily IC Expect...	General		FixedInterval	2025-10-14 03:53 PM GMT+13	2025-10-15 03:53 PM GMT+13

Filtering, Sorting, and Searching Scheduled Communications


Users can apply a **Status** (Scheduled, Paused, or Ended) and/or **Start Date** filter to easily locate Scheduled Communications that meet the selected criteria.



Scheduled Communications can also be searched by **Name** and sorted by **Start Date** (Newest to Oldest, or vice versa).


Managing Scheduled Communications

Scheduled Communications can be managed from the **Scheduled Communications** page by hovering the cursor over a Communication and selecting an action to perform.



The following actions are available:

- **Delete** - Click the **Trashcan** button to delete the Scheduled Communication.
- **Pause** - Click the **Pause** button to temporarily prevent the Communication from being sent as scheduled. Click **Pause** again on the confirmation modal to proceed.



- **Edit Launch Schedule** - Click the **Edit** button to update the launch schedule, then click **Update Schedule** to confirm the changes.

Schedule Communication

Schedule Name
General - Oct 14, 2025

Frequency
Daily

Repeat Every

Day
1

Start Date

Date
10/14/2025

MM/DD/YYYY

End Date

Date
10/14/2026

MM/DD/YYYY

Launch Time
05:10 PM

HH:MM AM/PM

Time Zone
Time Zone
(GMT-07:00) Pacific Dayli...

Cancel
Update Schedule

- **Update Scheduled Communication** - Click the **Update** button to make changes to the Communication itself, such as message content and settings, then click **Update Scheduled Communication**.

General - Oct 14, 2025

Enter a communication description

1. Type to search or select an Event Type
General

2. Select the Communication Template to Use

Select a Different Template

Send Without a Template

11 Delivery Paths Edit Paths

3. Configure Public Settings

Standard Send to Public

4. Configure the Message

Exercise Mode Standard Polling Conference

Cancel Training Live Review Update Scheduled Communication

The modal will close, and a toast message will appear at the bottom of the **Scheduled Communications** page showing that the update was successfully applied.

Scheduled communication updated successfully

Known Limitations

While Scheduling Communications provides great flexibility to message senders, note that the following functionality will be unavailable until a future release:


- Only initial Communications can be scheduled.
- Any updates to Scheduled Communications must be sent manually.

Communication List

The **Communications List** page found under **Communications > Communication List** contains all messages sent via Communications (Notifications, Incidents, and Scenarios).

Click **Launch Communication** to start creating a Communication from scratch or a template. For more on that process, see [Launching a Communication from Everbridge 360](#).


NOTE: Communications are sent using Incident functionality, so all Communications will also be displayed under **Incidents – Open/History** with all functionality intact.



Status	Priority	Name	Event Type	Launch Time	Launched By
Active	Standard	Lenox Ave & Old Middleburg Rd N - There ar...	HAZMAT/Fire	9h ago	
Active	Standard	General - Mar 7, 2025	General	10h ago	
Active	Standard	General - Mar 7, 2025	General	10h ago	
Active	Standard	Ling-testWinter Weather Advisory - Nebras...	Winter Weather	10h ago	
Active	Standard	Ling -test Winter Weather Advisory - Illinois,...	Winter Weather	10h ago	
Active	Standard	General - Mar 6, 2025	General	15h ago	
Active	Standard	publishing paths only, no contact	Wendy Test Event	16h ago	
Active	Standard	General - Mar 7, 2025	General	18h ago	
Active	Standard	Civil Unrest social - Mar 7, 2025	Civil Unrest	18h ago	
Active	Standard	General - Mar 7, 2025	General	20h ago	

Communications from within the last 7 days are automatically displayed but can be expanded to include 14 days, 30 days, 60 days, or a specified date. You can also search for a Communication by its **Name**, while sorting can be done by **Name**, **Event Type**, **ID**, **Send Time**, and **Created By**.

Communications accompanied by the textbook icon were launched in Training Mode.



Status	Priority	Name	Event Type	Launch Time	Launched By
Active	Standard	General - Mar 7, 2025	General	17s ago	
Active	Standard	Lenox Ave & Old Middleburg Rd N - There ar...	HAZMAT/Fire	10h ago	
Active	Standard	General - Mar 7, 2025	General	11h ago	
Active	Standard	General - Mar 7, 2025	General	11h ago	

Communication Details

Clicking on the name of the Communication will take you to the [Communication Details](#) page, where you can see details of responses, export the results as a PDF, close the Communication, and more.

Communication Details

The **Communication Details** page displays any relevant information about a launched Communication, such as confirmation status, message details, confirmation by delivery paths, settings, and more. It's also where operators can send updates to recipients, activate a closed Communication, export the Communication details, or close the Communication.

Communications List / Communication Details

< Chemical Spill at Downtown Business District

Close Communication

Standard
Status Active
Launch Time Mar 5, 2025 at 17:11
Creator
Event Type HAZMAT/Fire

Activity
Conference Poll

Standard Message
Sent Mar 5, 2025 at 17:11 by

URGENT: Chemical Spill at Downtown Business District - Immediate Evacuation Required
Original Communication Sent
11 Recipients
Broadcast Duration
1 hour | Closed Mar 5, 2025 at 18:11

1 Update
Mar 5, 2025 at 17:16 by

UPDATE: Contained - Hazmat Incident at Downtown Business District, Riverfront Industrial Park
Update Sent
11 Recipients
Broadcast Duration
72 hours | Closing in 1 day and 03:31:19

Confirmation Status

Total Recipients
11

Confirmed 1
9.09%

Confirmed Late 0
0%

Not Confirmed 10
90.9%

Unreachable 0
0%

Message

Message Body
Default Message
Home Email, sms1, Home Phone, email2, sms2, extension phone, ms team, mobile...

Priority Standard
Message type Standard
Subject URGENT: Chemical Spill at Downtown Business District - Immediate Evacuation Required
Default Message
EMERGENCY ALERT: A Chemical Spill has been reported at Downtown Business District. Emergency response teams are on site. Immediate evacuation required for all persons within a 3 mile radius of the incident.

Confirmation by Delivery Path
Details

Delivery Paths Responses
6 1

Email 100% 1
SMS 0% 0
Voice 0% 0
Mobile App 0% 0
Plain text 0% 0
Business M... 0% 0

Recipients

Total Recipients 11

Groups 0
Individuals 11

Rules 0
In Area 0

Communication Settings

Delivery Content Sender Information Recipient Interaction

Delivery Path Order One Time Custom


Delivery Paths
1. Home Email
2. sms1
3. Home Phone
4. email2
5. sms2

Sending a Communication Update

Situations that require a Communication are often in flux and can rapidly change at any time, so sending a status update is a useful way to keep recipients informed of the latest activity surrounding a Communication.


Updates can only be sent for Active Communications. To send an update from the Communication Details page:

1. Click the **Update** icon on the message in the **Activity** column to the left.





2. The Select Recipients modal opens, allowing the sender to choose one of two options:

- **Existing Recipients** - Send an update to all recipients in the thread, or choose to send to those who have or have not confirmed the message.




- To see which recipients have confirmed, click the Recipients link and then apply the **Confirmed** or **Not Confirmed** filters on the **Confirmation Details** page.




- **New Recipients** - Send an update to additional recipients that were not included in the original message. The sender will be prompted to add the


new recipients the **Send Update to Message** form.



3. The **Send Update to Message** form opens. Set the Event Type (if different from the original message) and select a template for the update or use the **Send Without a Template** option. Using a template will auto-fill key details for this message, such as delivery paths, public settings, message body, and attachments.




4. Edit the delivery paths as needed and click **Save**.



The image shows two screenshots from the Everbridge 360 user interface. The top screenshot is a 'Send Update to Message' dialog. It has a sidebar with numbered steps 1 and 2. Step 1 shows 'Event Type: HAZMAT/Fire'. Step 2 is 'Select the Communication Template to Use'. Below this, there's a link 'Select a Different Template' and a section 'Send Without a Template' containing a button '13 Delivery Paths' and a button 'Edit Paths' which is highlighted with a red box. The bottom screenshot is the 'Message Paths' configuration window. It has a title bar with a close button. Below the title is the instruction 'Select the Delivery Paths and Publishing Paths for your message.' The main area is divided into two sections: 'Delivery Paths' and 'Publishing Paths'. Under 'Delivery Paths', there's a list of options: SMS (checked with a blue circle and number 2), Email (checked with a blue circle and number 4), Voice (checked with a blue circle and number 2), Mobile App (checked with a blue circle and number 1), Plain Text (checked with a blue circle and number 2), and Business Messaging Apps (checked with a blue circle and number 2). Under 'Publishing Paths', there's one option: 'Everbridge Web Widget'. To the right of the 'Delivery Paths' list, there's a section for 'SMS' with two entries: 'sms1' and 'sms2'. Each entry has a toggle switch on the right, both of which are turned on (blue with a white checkmark). Below the 'SMS' section, there are two more toggle switches, both labeled 'Default' and turned on. At the bottom right of the window are 'Cancel' and 'Save' buttons.


5. Configure the **Public Settings** section to specify the priority.
6. Choose between either a Standard, Polling or Conference Communication and enter a subject.

7. Enter a default message and as many Custom Messages per delivery path as desired. Click **Add** at the bottom of the section to include attachments.




- Note that the ability for operators to modify the message body is permissions-based. If you're unable to edit the body, contact your administrators for assistance.
8. Select the recipients as you would a normal Communication via individuals, groups or rules. Note that currently, selecting a template does not automatically apply its recipient selections, though that functionality is coming soon.
 9. Click **Continue**. The **Launching Communication** modal will appear and preview the number of recipients who will receive the message. If needed, click **Stop Launch** to go back and make adjustments, or click **Launch**

Immediately.



- Once launched, the update can be seen in the **Activity** panel nested beneath its parent Communication, along with any other updates sent for it. The newly-launched update will automatically be selected from the Activity panel upon launch, and the **Confirmation Status** modal to the right will display the

confirmation status of the recipients.



- The selected Communication card in the **Activity** panel will be highlighted in blue for easy recognition.

Closing a Communication


There are two ways to close a Communication from the **Communication Details** page: either with or without a message alerting the recipients of the closure.

Closing a Communication Without a Message

To close a Communication without sending a message:


1. Navigate to the **Communication Details** page of an Active Communication.
2. Click **Close Communication** in the top-right corner.

3. The Close Communication modal will open. Click **Close Now**.



This option will:


- Close the Communication immediately.
 - Disable the ability to send further Communications in this thread.
 - Disable the ability to send updates.
 - Disable the ability to resend any messages from this Communication.
4. A message will appear confirming that the Communication has been closed. The status will change to Closed, and a timestamp in the **Activity** section will also show how long ago it was closed and by whom. The **Activate Communication** button will also appear in the top-right corner.



Closing a Communication with a Message

To send a message when closing a Communication:

1. Navigate to the **Communication Details** page of an Active Communication.
2. Click **Close Communication** in the top-right corner.
3. The Close Communication modal will open. Click **Close with Message**.



Note that after the final message is sent, this will:

- Disable the ability to send further Communications in this thread.
 - Disable the ability to send updates.
 - Disable the ability to resend any messages from this Communication.
4. The **Send Update to Message** form will appear to the right. Choose a Communication template to use for the message or select **Send Without a Template** to send an ad-hoc message. Templates will first be suggested by Event Type but suggestions can also be viewed by Most Recently Used or

Most Recently Updated templates.

Send Update to Message

1 > Event Type: HAZMAT/Fire

2 Select the Communication Template to Use ⓘ

Suggest By Event Type ▾

Send Without a Template

HAZMAT/Fire
Hazmat Incident - Evacuation
Notice
Category: Emergency Response

HAZMAT/Fire
Hazmat Incident - Status Check
Poll
Category: Emergency Response

HAZMAT/Fire
Hazmat Incident - Status
Update
Category: Emergency Response

HAZMAT/Fire, Wildfires
GSOC Summons
Category: GSOC Management

Search Templates

Please select a Communication Template or choose No Template to proceed

Cancel Continue

5. Configure the delivery paths, public settings, and message the same you would when launching a new Communication.
6. Click **Continue**. The launch preview will display the number of recipients who will be receiving this message, allowing the operator to cancel and adjust as needed. If it looks correct, either wait for the launch to complete on its own or click **Launch Immediately**.

Send Update to Message

Individuals (1)

First Name	Last Name	External ID	Email
✓		54321	

Rules (0)

Launching Communication

Gathering 1 Recipients


Stop Launch Launch Immediately

Groups 0 Individuals 1 Rules 0 Excluded 0

Cancel Continue

7. Once the message has been launched, the **Activity** panel will update showing that the original Communication has been closed and that a message was


sent to the specified recipients. The **Status** will also change to **Closed**.




Activate Communication

If needed, Communications that have been closed can be reopened again from the **Communication Details** page. To do this:


1. Navigate to the closed Communication's Details page.
2. Click **Activate Communication** in the top-right corner.



3. A message will appear stating that the Communication will be activated. Click **Activate** again to confirm.




4. The Communication's status will change to Active, and the reactivation timestamp will appear in the **Activity** panel, including the name of the user who closed and reopened it.



Launch New Communication

A new, unrelated Communication can be sent from the **Communication Details** page by clicking the megaphone at the top.



Doing so will open the **Launch Communication** page. Fill the form as you would using the instructions outlined in [Launching a Communication from Everbridge 360](#).

General - Mar 11, 2025

Enter a communication description

1

Type to search or select an Event Type
General

2

Select the Communication Template to Use

Send Without a Template

General
test general

General
General - Work From Home Notice
Category: Employee Weather Emergency

Suggest By: Event Type

Simple message setting decouple, Other, Critical Infra...
test by iulia no view no edit recipients

Search Templates

Please select a Communication Template or choose No Template to proceed

Cancel Training Live

Preview Launch Communication

NOTE: Launching a new Communication from the **Details** page of an existing one will not create a Communication linked to it, such as an update. It creates a brand new Communication with its own **Details** page and dashboard.

Widgets

The following widgets offer additional insight from the Communication Details dashboard:


- Confirmation Status
- Confirmation by Delivery Path
- Recipients
- Communication Settings
- Communication Summary

Confirmation Status Widget

The **Confirmation Status** widget allows users to view, filter, and interact with detailed recipient confirmation data, enabling them to monitor communication effectiveness and take follow-up actions. The statuses in the graphic are color-coded for easy identification:

- **Confirmed** - Green
- **Confirmed Late** - Purple
- **Not Confirmed** - Orange
- **Unreachable** - Black

Click **Details** to see more information.



The **Confirmation Details** page will open, which displays status cards to the left:

- Total Recipients
- Confirmed
- Confirmed Late
- Not Confirmed

- Unreachable

Each status card will display the percentage of applicable responses against the total possible. Clicking a status card will highlight it in blue and open the list of recipients that match that status. Doing so will also change the **Confirmation Status** filter at the top of the page. Results can be distilled further by applying the **Delivery Path** filter, and recipients can also be searched by name.

Confirmation Details | Broadcast Duration 1 hour | Closed Mar 5, 2025 at 18:11 | Send Update


Confirmation Status: **Confirmed (1)** | Delivery Path: **All** | Search by Name

Confirmation Status	Name	External ID	Added As	Confirmed Time	Delivery Path	Delivery Path Value	Poll Response
Confirmed	James	JP1232	Individual	Mar 5, 2025 - 5:11PM	Email		--


Summary:

- Total Recipients: 11 (100% of total)
- Confirmed: 1 (9.09% of total)
- Confirmed Late: 0 (0% of total)
- Not Confirmed: 10 (90.9% of total)
- Unreachable: 0 (0% of total)

Polling Communications can also utilize the **Poll Response** filter to display recipients who submitted a specific response. The available filters are determined by the polling responses included in the Communication.



While the status cards automatically update as new responses come in, note that the recipient table does not. It needs to be manually refreshed by clicking the **Refresh** button.



Updates can be sent using the applied filters by clicking **Send Update**.

Confirmation Details Broadcast Duration 1 hour Closed Mar 5, 2025 at 18:11

Total Recipients 11
100% of total

Confirmed 1
9.09% of total

Confirmed Late 0
0% of total

Not Confirmed 10
90.9% of total


Unreachable 0
0% of total

Confirmation Status: **Not Confirmed (1)** Delivery Path: **All** Search by Name

Confirmation Status	Name	External ID	Added As	Attempted Time	Delivery Path	Delivery Path Value	Call Result
Not Confirmed		eb1-525-6350	Individual	Mar 5, 2025 - 5:1...	Email		Sent
Not Confirmed		eb1-525-6350	Individual	Mar 5, 2025 - 5:1...	Voice		Not Delivered - Blo...
Not Confirmed		eb1-480-3074	Individual	- -	Voice		Not Delivered - Du...
Not Confirmed		eb1-480-3074	Individual	Mar 5, 2025 - 5:1...	Email		Sent
Not Confirmed		eb1-497-4662	Individual	- -	Voice		Not Delivered - Du...
Not Confirmed		eb1-497-4662	Individual	Mar 5, 2025 - 5:1...	Email		Sent
Not Confirmed		eb1-496-4510	Individual	- -	Voice		Not Delivered - Du...
Not Confirmed		eb1-496-4510	Individual	Mar 5, 2025 - 5:1...	Email		Sent
Not Confirmed		eb1-525-314	Individual	- -	Voice		Not Delivered - Du...
Not Confirmed		eb1-525-314	Individual	Mar 5, 2025 - 5:1...	Email		Sent
Not Confirmed		eb1-497-1809	Individual	- -	Voice		Not Delivered - Du...
Not Confirmed		eb1-497-1809	Individual	Mar 5, 2025 - 5:1...	Email		Sent
Not Confirmed		eb1-496-276	Individual	- -	Voice		Not Delivered - Du...
Not Confirmed		eb1-496-276	Individual	Mar 5, 2025 - 5:1...	Email		Sent
Not Confirmed		eb1-525-6634	Individual	- -	Voice		Not Delivered - Du...
Not Confirmed		eb1-525-6634	Individual	Mar 5, 2025 - 5:1...	Email		Sent
Not Confirmed		eb1-525-2129	Individual	- -	Voice		Not Delivered - Du...

Send Update

For example, users can choose to send an update to only those recipients who haven't confirmed by first applying the **Not Confirmed** status filter before starting the update form. Doing this will automatically select the unconfirmed recipients in the update.




See [Sending a Communication Update](#) for more details.

Confirmation by Delivery Path Widget

The **Confirmation by Delivery Path** widget allows users to view, filter, and interact with detailed recipient confirmation data by delivery path, enabling them to monitor communication effectiveness and take follow-up actions.

Click **Details** to see more information.



The **Confirmation by Delivery Path** page will open, which displays the color-coded delivery path cards to the left:

- All
- **Email** - Red
- **Mobile App** - Purple
- **SMS** - Pink
- **Plain Text** - Orange
- **Voice** - Green
- **Business Apps** - Blue

Each delivery method card will display the percentage of applicable responses for that method against the total possible. Clicking a card will highlight it in blue and open the list of recipients that match that delivery path. Doing so will also change the **Delivery Path** filter at the top of the page. Click the card again to remove the applied filter. Recipients can also be searched by name from this page.

Delivery Path Details | Broadcast Duration 1 hour | Closed Mar 5, 2025 at 18:11

Delivery Paths: 6 | Responses: 1

Number of Responses: 1

Delivery Path: Email

Delivery Path	Name	External ID	Added As	Confirmed Time
Email	James	JPI232	Individual	Mar 5, 2025 - 5:11PM

Delivery Path Summary:

- Email: 100% (1)
- Mobile App: 0% (0)
- SMS: 0% (0)
- Plain text: 0% (0)
- Voice: 0% (0)
- Business: 0% (0)

Polling Communications can also utilize the **Poll Response** filter to display recipients who submitted a specific response. The available filters are determined by the polling responses included in the Communication.

Delivery Path Details | Broadcast Duration 1 hour | Closed Mar 11, 2025 at 15:02

Delivery Paths: 5 | Responses: 1

Number of Responses: 1


Delivery Path: Email | Poll Response: I need assistance.

Delivery Path	Name	External ID	Added As	Confirmed Time	Poll Response
Email	James	JPI232	Individual	Mar 11, 2025 - 2:03PM	I need assistance.


Poll Response Options:

- All
- I safely evacuated.
- ✓ I need assistance.
- Invalid Response


While the status cards automatically update as new responses come in, note that the recipient table does not. It needs to be manually refreshed by clicking the **Refresh** button.



Updates can be sent using the applied filters by clicking **Send Update**.



For example, users can choose to send an update to only those responders using the email delivery path before starting the update form. Doing this will automatically select the desired recipients in the update.




See [Sending a Communication Update](#) for more details.

Recipients Widget

The **Recipients Widget** allows users to view, filter, and interact with recipient information by groups, individuals, rules, or recipients in the area, enabling them to monitor communication effectiveness and take follow-up actions.


Click **Details** to see more information.




The **Recipient Details** page will open, which displays the recipient selection method cards to the left:

- Total Recipients
- Groups
- Individuals
- Rules
- In Area


Each recipient selection card will display the percentage of applicable responses per selection method against the total possible. Clicking a card will highlight it in blue and open the list of recipients that match that selection method. Doing so will also change the **Recipients** filter at the top of the page. Click the card again to remove the applied filter. Recipients can also be searched by name from this page, and the list can be refined further by applying a **Confirmation Status** filter from the top.




Polling Communications can also utilize the **Poll Response** filter to display recipients who submitted a specific response. The available filters are determined by the polling responses included in the Communication.




While the status cards automatically update as new responses come in, note that the recipient table does not. It needs to be manually refreshed by clicking the **Refresh** button.



Updates can be sent using the applied filters by clicking **Send Update**.



For example, users can choose to send an update to only recipients who were selected as Individuals before starting the update form. Doing this will automatically select the desired recipients in the update.



See [Sending a Communication Update](#) for more details.

Communication Settings Widget

The **Communication Settings Widget** displays critical information about the Communication's settings and configurations. It's broken into four tabs that can be viewed by being clicked on:

- **Delivery** - Includes the following delivery settings:
 - Delivery Path Order
 - Delivery Paths
 - Wait Between Delivery Paths
 - Override Quiet Time Settings
 - Contact Cycles
 - Wait Between Cycles
 - Broadcast Duration
 - Apply Voice Delivery Throttling Rules

Communication Settings

Delivery

Content

Sender Information

Recipient Interaction

Delivery Path Order

One Time Custom

Delivery Paths

1. Home Email
 2. sms1
 3. Home Phone
 4. email2
 5. sms2
 6. extension phone
 7. ms team
 8. mobile push alert
 9. slack
 10. PlainTextEmail - 1Way
 11. PlainTextEmail - 2Way

Wait Between Delivery Paths

2 minutes

Override Quiet Time Settings

No

Contact Cycles

1

Wait Between Cycles

2 minutes


Broadcast Duration

1 hours

Apply Voice Delivery Throttling Rules

Yes

- **Content** - Displays the chosen language for the Communication.



Communication Settings

Delivery **Content** Sender Information Recipient Interaction

Language English (US)

- **Sender Information** - Displays details about the Communication sender, including:
 - Email Sender Name
 - Reply to Email
 - Caller ID

- SMS ID

Communication Settings

Delivery
Content
Sender Information
Recipient Interaction

Email Sender Name

Paul

Reply To Email

Caller ID

United States:
United Kingdom:
Canada:
South Africa:

SMS ID

Other countries:
United Kingdom:
China:
Albania:
Hong Kong:

Everbridge Numeric S
MS ID

- **Recipient Interaction** - Displays the settings specific to recipient interaction, including:
 - Request Confirmation
 - Everbridge Mobile App
 - Request Location
 - Request Image
 - Request Additional Information
 - Enable Sharing

- Voicemail Handling

Communication Settings

Delivery

Content

Sender Information

Recipient Interaction

Request Confirmation

Yes

Everbridge Mobile App

Request location:

No

Request Image:

No

Request Additional Information:

No

Enable Sharing:

Yes

Voicemail Handling

Message With Confirmation

Communication Summary Widget

The **Communication Summary Widget** displays basic but crucial details about the Communication, such as:

- **Communication ID** - The Communication's unique identifier.
- **Event Type** - The Event Type that was selected when launching this Communication.
- **Name** - The Communication's name.
- **Notification Mode** - Whether this was sent as a Live Communication or Training.
- **Sender** - Name of the sender and the launch timestamp.
- **Recipients** - Number of contacts that this Communication was sent to.

- **Launched From** - What platform was used to launch the Communication (Manager Portal Web, etc.).

Communication Summary	
Communication ID	ccdd79a8-2342-4bf1-94d7-aa2e1698cecc
Event Type	HAZMAT/Fire
Name	Chemical Spill at Downtown Business District
Notification Mode	Live
Sender	James [REDACTED] 05 Mar 2025 at 17:11:17 PST
Recipients	11
Launched From	Manager Portal Web

Exports

There are four different types of exports that can be initiated from the Communication Details page:

- Communication Details Export
- Confirmation Status by Recipient Export
- Confirmation by Delivery Path Export
- Recipients Export

Communication Details Export


The Communication Details Export allows users to download the Communication Details page as a PDF, including:

- Confirmation Status
- Message
- Confirmation by Delivery Path
- Recipients
- Communication Settings
- Communication Summary


To download this export:



1. Navigate to the **Communication Details** page.
2. Click the **Export to PDF** button. The PDF download will appear at the top of the browser.



3. Click the download to open and review the PDF.



Confirmation Status by Recipient Export


The **Confirmation Status by Recipient Export** is a CSV report displaying the following items (when applicable):

- Name

- External ID
- Added As
- Confirmation Status
- Confirmed Time
- Delivery Path
- Delivery Path Value
- Poll Response

To initiate this export:

1. Navigate to the **Communication Details** page.
2. Click **Details** on the **Confirmation Status** widget.



3. The **Confirmation Details** page will appear. Click the **Export Confirmation Details by Recipient** button to generate the CSV.

The Confirmation Details page displays the following information:

Broadcast Duration: 1 hour | Closed Mar 5, 2025 at 18:11


Confirmation Status: All

Search by Name

Confirmation Status	Name	External ID	Added As
Not Confirmed	[Redacted]	eb1-525-6350	Individual
Not Confirmed	[Redacted]	eb1-480-3074	Individual
Not Confirmed	[Redacted]	eb1-497-4662	Individual
Not Confirmed	[Redacted]	eb1-496-4510	Individual
Not Confirmed	[Redacted]	eb1-525-314	Individual

Export button: Delivery + Details-1741716492840.csv (917 B • Done)

4. Click the download to open and view the export.



Name	External ID	Added As	Confirmation Status	Attempted Time	Delivery Path	Delivery Path Value	Result	Confirmed Time	Poll Response
Alisa	eb1-525-6	Individual	Not Confirmed						
Alisa	eb1-480-3	Individual	Not Confirmed						
Aida	eb1-497-4	Individual	Not Confirmed						
Albertina	eb1-496-4	Individual	Not Confirmed						
Alise	eb1-525-3	Individual	Not Confirmed						
Abigail	eb1-497-1	Individual	Not Confirmed						
Abby	eb1-496-2	Individual	Not Confirmed						
Abe	eb1-525-6	Individual	Not Confirmed						
Agueda	eb1-525-2	Individual	Not Confirmed						
James	JP232	Individual	Confirmed Mar 05, 20	Home Emz					
Aaron	1000006	Individual	Not Confirmed						

Confirmation by Delivery Path Export


The **Confirmation by Delivery Path Export** is a CSV report that offers insight on the following items:

- Name
- External ID
- Added As
- Confirmation Status
- Attempted Time
- Delivery Path
- Delivery Path Value
- Result
- Confirmed Time
- Poll Response

To download this report:

1. Navigate to the **Communication Details** page.

- Click **Details** on the **Confirmation by Delivery Path** widget.



- The **Delivery Path Details** page opens. Click the **Export Delivery Path Details** button to generate the download.

Delivery Path Details Broadcast Duration 1 hour Closed Mar 5, 2025 at 18:11 Send Update

Delivery Path: All Search by Name

Delivery Path	Name	External ID	Added As	Confirmed Time
Email	[Redacted]	JP1232	Individual	Mar 5, 2025 - 5:11PM

Delivery Path Details 6
Responses 1

Number of Responses

Delivery Paths

Email 100%

Delivery + Details - 1741718314241.csv
2,965 B - Done

4. Click the download to open and view the export.

	Name	External ID	Added As	Confirmation Status	Attempted Delivery	Delivery Path	Delivery Path Value	Poll Response
1	Alisa	eb1-525-6	Individual	Not Confirmed	Mar 05, 20	Home Emi alisa.neff	Sent	Confirmed Poll Response
2	Alisa	eb1-525-6	Individual	Not Confirmed	Mar 05, 20	Home Pho 1.52E+10	Not Delivered - Blocked Phone Number	
3	Alisha Cott	eb1-480-3	Individual	Not Confirmed	Mar 05, 20	Home Pho 1.52E+10	Not Delivered - Duplicate Path	
4	Alisha Cott	eb1-480-3	Individual	Not Confirmed	Mar 05, 20	Home Emi alisha.cott	Sent	
5	Aida Harle	eb1-497-4	Individual	Not Confirmed	Mar 05, 20	Home Pho 1.52E+10	Not Delivered - Duplicate Path	
6	Aida Harle	eb1-497-4	Individual	Not Confirmed	Mar 05, 20	Home Emi aida.harle	Sent	
7	Albertina	eb1-496-4	Individual	Not Confirmed	Mar 05, 20	Home Pho 1.52E+10	Not Delivered - Duplicate Path	
8	Albertina	eb1-496-4	Individual	Not Confirmed	Mar 05, 20	Home Emi albertina.r	Sent	
9	Alise Obrey	eb1-525-3	Individual	Not Confirmed	Mar 05, 20	Home Pho 1.52E+10	Not Delivered - Duplicate Path	
10	Alise Obrey	eb1-525-3	Individual	Not Confirmed	Mar 05, 20	Home Emi alise.obrey	Sent	
11	Abigail Gar	eb1-497-1	Individual	Not Confirmed	Mar 05, 20	Home Pho 1.52E+10	Not Delivered - Duplicate Path	
12	Abigail Gar	eb1-497-1	Individual	Not Confirmed	Mar 05, 20	Home Emi abigail.gar	Sent	
13	Abby Bell	eb1-496-2	Individual	Not Confirmed	Mar 05, 20	Home Pho 1.52E+10	Not Delivered - Duplicate Path	
14	Abby Bell	eb1-496-2	Individual	Not Confirmed	Mar 05, 20	Home Emi abby.bell	Sent	
15	Abe Foran	eb1-525-6	Individual	Not Confirmed	Mar 05, 20	Home Pho 1.52E+10	Not Delivered - Duplicate Path	
16	Abe Foran	eb1-525-6	Individual	Not Confirmed	Mar 05, 20	Home Emi abe.foran	Sent	
17	Agueda Mc	eb1-525-2	Individual	Not Confirmed	Mar 05, 20	Home Pho 1.52E+10	Not Delivered - Duplicate Path	
18	Agueda Mc	eb1-525-2	Individual	Not Confirmed	Mar 05, 20	Home Emi agueda.mc	Sent	
19	James Pod	JP1232	Individual	Confirmed	Mar 05, 2025 17:11:43 PST			
20	Aaron	1000006	Individual	Not Confirmed	Mar 05, 20	Home Emi aaron@ex	Sent	

Recipients Export


The **Recipients Export** is a CSV report displaying the following items (when applicable):

- Name
- External ID
- Added As
- Confirmation Status
- Confirmed Time
- Delivery Path
- Delivery Path Value
- Poll Response
- Address


To download this report:

1. Navigate to the **Communication Details** page.


2. Click **Details** on the **Recipients** widget.



3. The **Recipient Details** page opens. Click the **Export Recipient Details** button to generate the download.



- Click the download to open and view the export.




Using Communication Notes

Users can leave **Notes** on both Active or Closed Communications from their **Details** pages to relay important context or updates to internal operators and stakeholders.


To leave a Note:

- Click the **Notes** button at the top of the **Communication Details** page.




- The **Notes** modal will open to the right, where users can add text to the field and add attachments. Optionally, click the meatball menu icon to reveal more Rich Text options, if needed, including hyperlinks, tables, source code, and


more.



- The size of the text field in the **Notes** modal can be expanded or reduced by clicking and dragging the bottom-right corner to the appropriate size.



3. Click **Save**. The new Note will now appear in the list at the top of the **Note** modal.



Rich Text Editor Best Practices for Custom Delivery Paths

Although the toolbar to configure custom text appears similar to those in standard word processing applications, be aware that it offers minimal functionality compared to the formatting tools available in applications such as Microsoft Word.

When pasting content into **Email, Everbridge Mobile App**, Everbridge Suite may not produce the same results as in the external source.

- Content copied from Microsoft Office may not produce the same results as in Microsoft Office.
- Not all content copied from Web pages may be preserved in the original format if the source uses custom or proprietary HTML tags.
- Not all fonts, bullets, numbering, and indentation are supported when pasting content.

Other considerations include:

- The maximum amount of content that can be saved and used in the **Email, Everbridge Mobile App** field is 1 MB; Everbridge Suite does not currently display a character or content counter. You see a message only when you have more than 1 MB of content when you attempt to Launch Communication. (Image file sizes are excluded from the maximum Custom Email content size of 1 MB.)
- If your Organization uses a custom email header and footer (set in **Settings > Organization > Notification > Email Header and Footer**), then do not include a header and footer in the email. The Everbridge Suite application automatically inserts your custom header and footer when sending an email message.

Using Images

Although you can copy and paste images from an external source (except Microsoft Word), Everbridge recommends you use **Insert/Edit image** from the formatting toolbar for the best results. You can either:

- Enter a URL address to retrieve an image from an Internet-accessible server.
- Choose a file from your computing device.

To do this:

1. Select **Insert/edit image**.
2. Do one of the following:

- **General** - Fill in the information fields.
 - **Upload** - Drag and drop the image onto the window or browse for the image.
3. Click **Save**.

Using Tables

The most straightforward way to enter a table is to copy and paste from an external source, such as Microsoft Word. From the external source, make sure that the table column widths are the desired size because they cannot be resized once the table is pasted into the **Email, Everbridge Mobile App** pane. Alternatively, insert a table directly.

1. Place the mouse cursor where you want the table.
2. Select **Table**.
3. Select the cells (columns and rows) of your table.
4. Click the table to display the properties you can change. You can also make the same changes by clicking **Table** again.

Converting Text to HTML

Converting your text to HTML gives you the ability to change the format of text and gives you greater control over the format of your text quickly and easily.

1. Using the **Email, Everbridge Mobile App** pane, enter your text.
2. Click **< >**. The **Source Code** dialog displays your text in HTML.
3. Click **Save**.

Copying Content Without Characters or Formatting

If you do not want hidden characters or formatted text in your custom email when you copy/paste from an external source, select **Paste as Text**.

Event Types

Event Types define the type of events that impact your Organization and are tied to the types of Communications you would like to launch to your contacts. Link every Communication to an Event Type for ease of tracking, reporting, and retrospective capabilities. Event Types will consist of **Event Type** (parent level) and **Event Type Subcategory** (child level).

Risk-related Event Types (same as Category/Subcategory in Visual Command Center) will be available out of the box. Administrators can define custom Event Types under **Organization Settings**.

These permissions are disabled by default for non-Administrators but can be enabled and configured if required. Note that some permissions are dependent upon others:

- **Update** requires **View**.
- **Create** requires **View** and **Update**.
- **Delete** requires **View**, **Update**, and **Create**.


Things to consider when creating event types based on future potential scope:

- Auto-suggests active Alerts linked to the selected Event Type.
- Associate Templates to Event Types.
- Configure Role permission to Event Types.
- Communications workflow driven by Event Types.

TIP: It's recommended to create custom Event Types in advance so that they're ready for use when the need arises.

Configuration of Event Types

Event Types can be configured at **Settings > Organization > Everbridge 360™ > Event Types**.



☐	Event Type	Custom	Created Date	Created By	Last Modified On	Last Modified By
☐	Accidents	Yes	Aug 3, 2023 09:47:56 ...	Jency	Aug 3, 2023 09:47:56 ...	Jency
☐	Air Quality	No	Jun 30, 2023 03:42:03 ...	Everbridge Default	Jun 30, 2023 03:42:03 ...	Everbridge
☐	Civil Unrest	No	Jun 30, 2023 03:42:03 ...	Everbridge Default	Jun 30, 2023 03:42:03 ...	Everbridge
☐	Communication D...	Yes	Aug 25, 2023 23:31:56 ...	Jency	Aug 25, 2023 23:31:56 ...	Jency
☐	Conflict/War	No	Jun 30, 2023 03:42:03 ...	Everbridge Default	Jun 30, 2023 03:42:03 ...	Everbridge
☐	Crime	No	Jun 30, 2023 03:42:03 ...	Everbridge Default	Nov 17, 2023 01:19:54 ...	Jun
☐	Earthquake	No	Jun 30, 2023 03:42:03 ...	Everbridge Default	Jun 30, 2023 03:42:03 ...	Everbridge

Event Types will consist of an **Event Type** (parent level) and an **Event Type Subcategory** (child level). Risk-related Event Types will be available out of the box.

NOTE: If you are a Visual Command Center (VCC) customer, **Risk-related Event Types** are the same as **Category/Subcategory** in VCC.

The main display will show event type names, whether the event type is custom, the creation date, who created the event type (out-of-the box event types will be noted with Everbridge Default), the last modification date, and who last modified the event type.

By default, disabled records will be hidden, but you can see them by unchecking the **Hide disabled records** checkbox.

Event Types can be deleted by checking the box next to the desired entry and then clicking **Delete**.

Additional actions include the ability to enable and disable both custom and Everbridge Default event types.

Event Type	Custom	Created Date	Created By	Last Modified On	Last Modified By
☒ Accidents	Yes	Aug 3, 2023 09:47:56	Jency	Aug 3, 2023 09:47:56	Jency
☐ Air Quality	No	Jun 30, 2023 03:42:03	Everbridge Default	Jun 30, 2023 03:42:03	Everbridge
☐ Civil Unrest	No	Jun 30, 2023 03:42:03	Everbridge Default	Jun 30, 2023 03:42:03	Everbridge
☐ Communication D...	Yes	Aug 25, 2023 23:31:56	Jency	Aug 25, 2023 23:31:56	Jency
☐ Conflict/War	No	Jun 30, 2023 03:42:03	Everbridge Default	Jun 30, 2023 03:42:03	Everbridge
☐ Crime	No	Jun 30, 2023 03:42:03	Everbridge Default	Nov 17, 2023 01:19:54	Jun
☐ Earthquake	No	Jun 30, 2023 03:42:03	Everbridge Default	Jun 30, 2023 03:42:03	Everbridge

NOTE: Disabling Everbridge Default Event Types may impact features in the Communications module as they are designed to complement each other.

Whether or not you are able to manage Event Types is tied to your role/permissions.

- Account Administrator (non-configurable and enabled)
- Organization Administrator (non-configurable and enabled)
- The following permissions are auto-on but configurable for Incident Administrators, Incident Operators, Mass Notification Operators, and Group Managers:
 - **Communications > Create Event Type** (optional with dependency on View Event Type)
 - **Communications > Update Event Type** (optional with dependency on Create Event Type)


- **Communications > Delete Event Type** (optional with dependency on Create Event Type)
- **Communications > View Event Type** (required to send Communications)

COMMUNICATIONS

- ✓ Create Event Type
- ✓ Update Event Type
- ✓ Delete Event Type
- ✓ View Event Type
- ✓ View Communication
- ✓ Create Communication
- ✓ Launch Communication without Template
- ✓ Launch Multiple Communications
- ✓ Manage Everbridge 360 Setting
- ✓ Manage Communication Recipients Settings


New Event Type

Event Types can be created and managed at the Organization level from **Settings > Everbridge 360 > Event Types**.




The screenshot shows the 'Event Types' management page in the Everbridge 360 interface. The left sidebar contains a navigation menu with options like Organization, Map, Interactive Visibility, Publishing Options, Notifications, Contacts/Assets, Security, ITA, Critical Event, Everbridge 360, Default Settings, Event Types, and Communications Recipients. The main content area is titled 'Event Types' and includes a 'New Event Type' button, which is highlighted with a red box. Below this button is a table listing existing event types with columns for Event Type, Custom, Created Date, Created By, Last Modified On, and Last Modified By. The table lists several event types including Active Shooter, Air Quality, Civil Unrest, Conflict/War, Crime, Earthquake, and Flood.

Click **New Event Type**, give it a name, and click **Save**.




The screenshot shows the 'New Event Type' modal form. The form has a title 'New Event Type' and a close button (X). The 'Event Type' field is labeled with a red asterisk and contains the text 'Critical Infrastructure Failure'. At the bottom of the form are two buttons: 'Cancel' and 'Save'.

Once an Event Type has been saved, it can then be assigned to new or existing Communications templates to allow for easier grouping, association, and retrieval. See [Creating Communications Templates](#) for more details about creating Communications templates.



New Event Type Subcategory

When creating a new Event Type Subcategory, add the Event Type Subcategory name to the **Event Type Subcategory** field. Note that Event Types must be created before they can be added to an Event Type Subcategory.



New Event Type Subcategory X


* Event Type Subcategory:

* Event Type: Select...

- Select...
- Accidents
- Air Quality
- Civil Unrest
- Communication Drills
- Conflict/War
- Crime
- Earthquake

Communications Variable Library

The Communications **Variable Library** allows users to seamlessly create, update, manage, and organize variables crucial for accurately collecting and conveying critical information via Communication templates. It can be accessed from **Communications > Variable Library**.




Variable Library Overview


Search, Filter, and My Variables

Variables can be located by searching by name or by filtering by the following types:


- Single Selection
- Multiple Selection
- Text Box
- Textarea
- Date



Clicking **My Variables** will show a user only the variables that they've created.




Clicking the header of the **Created** column will allow users to sort by creation date (oldest to newest or newest to oldest).



Managing Variables

Variables can be managed from the library by being clicked on from the list view, which will open the **Variable Details** panel to the right.




The Variable Details panel displays the following information about the selected variable:

- Variable Name
- Last Updated
- Last Updated By
- Type
- Tooltip
- Options
- Created
- Created By


From there, the following actions can be taken:

- Click the **Delete** button to delete the variable. A confirmation modal will appear warning the user that doing so will also remove it from any

Communications templates that currently contain it. Click **Delete** to confirm.




- Variables can also be deleted from the list view by selecting its checkbox and clicking **Delete**.




- Click **Copy** to duplicate the variable. This is useful if, for example, you want to create a similar variable with only a few minor changes without having to start from scratch. The name of the variable copy will default to the original

name plus **(Copy)** until changed manually.



- Click **Edit** to modify the variable by changing its type, name, tooltip, or options. Click **Save** to keep any changes.




Creating Communications Variables

Users can create their own variables to use in ad-hoc Communications or Communication Templates from the **Communications Variable Library** (**Communications > Variable Library**).

To create a new Communications variable:

1. Click **New Variable**. The New Variable modal will appear to the right.



2. Choose the variable type from the following options:

- **Single Selection** - Creates a variable that prompts operators to select a single option.

New Variable

*Type

Variable Type

Single Selection

*Name

Variable Name

Single Selection 1-3

Tooltip

Tooltip

Choose one of three options.

*Options

Option 1

1

Option 2

2

Option 3

3

- Multiple Selection - Creates a variable that prompts operators to select as many options as applicable.

New Variable

*Type

Variable Type

Multiple Selection

Tooltip

Choose up to three options.

*Options

☒

Option 1

☐

Option 2

☐

Option 3

+ Add another option

- **Text Box** - Creates a text box variable that can be filled with up to 399 characters.

New Variable

*Type

Variable Type

Text Box

*Name

Variable Name

Text Box

Tooltip

Tooltip

*Limit

1

1 - 399 Characters

- **Textarea** - Creates a text area variable that can be filled by up to 50,000 characters.

New Variable

*Type

Variable Type

Textarea

*Name

Variable Name

Textarea

Tooltip

Tooltip


*Limit

100

100 - 50,000 Characters

- **Date** - Creates a variable with a date picker with or without a specific time associated with an event. If the chosen format contains a time,

users can specify if it should use the 24-hour clock or 12-hour clock.



The image shows a 'New Variable' modal window. At the top right, there is a blue square icon with a white 'a' and a close 'x' button. The form contains the following fields:

- *Type:** A dropdown menu with 'Variable Type' as the header and 'Date' as the selected value.
- *Name:** A text input field with 'Variable Name' as the header and 'Date' as the entered text.
- Tooltip:** A large text area with 'Tooltip' as the placeholder text.
- *Format:** A dropdown menu with 'Format' as the header and 'DD-MM-YYYY HH:MM:SS' as the selected value.

Below the format dropdown, there are two radio buttons:

☐ 24 Hour Clock


☒ 12 Hour Clock

3. Click the **Save** button at the top of the modal to add this new variable to the library.

Once a variable has been saved to the library, it can be used in Communications templates or ad-hoc Communications sent out by an operator.

Communications Templates

Users can view and create well-organized, searchable templates that provide clear context to operators during emergencies from the **Communications Templates Library** at **Communications > Templates**.




See [Creating Communications Templates](#) for more details on creating templates.

Communications Template Library

Several actions can be taken from the Communications Template Library, such as:


- Creating a new template.
- Launching a Communication from a template
- Adding a new Category
- Sorting by Name or Last Updated
- Filtering by Categories, Event Types, or both
- Filtering by Template Status (Live or Draft)
 - Templates in a Draft state will include the **Draft** tag on their tiles.



Viewing template details by clicking the down arrow on the template tile, including:


- Creator
- Created Date
- Category
- Delivery Paths
- Publishing Methods

- Recipients
- Event Type
- Description




Clicking the kebab action menu icon for a specific template tile reveals the following actions:

- Use Template
- Edit
- Rename
- Delete
- Duplicate
- Set to Draft
- Move
- Preview



Launching a Template

Communications can be launched directly from a template by clicking the kebab menu on its card and selecting **Use Template**.




The **Launch Communication** form will appear with the template's details already filled. See [Launching a Communication from Everbridge 360](#) for more information.

The screenshot shows the 'Air Quality - Mar 18, 2025' communication launch form. It includes a search bar with 'Air Quality' entered, a list of templates including 'Weather Advisory - Work From Home Notice', and a 'Launch Communication' button.

Editing a Template

Templates can be edited by clicking the kebab menu on their cards and selecting **Edit**.




The **Edit Template** page will appear, allowing the user to make any necessary changes to the selected template. Click **Save Template** to apply the edits.


The screenshot shows the 'Edit Template' page for a 'Weather Advisory - Work From Home Notice'. The page has a dark blue header with the Everbridge 360 logo and navigation icons. Below the header, the title 'Weather Advisory - Work From Home Notice' is displayed. A 'Category Name' field is set to 'Employee Weather Emergency'. An 'Event Type' section contains several buttons: 'Air Quality', 'Heat', 'Blizzard', 'Tropical Storm', 'Frost & Freeze', 'Flood', 'Weather', 'Thunderstorm', 'Hurricane', and 'Winter Weather'. The 'Operator Form' tab is selected, showing three fields: '1. Advisory Type' (set to 'Winter Weather Advisory'), '2. Employees' (set to 'Non-essential'), and '3. Campus'. To the right, the 'Operator Form Variables' section includes a search bar and a list of variables: 'Single 4', 'Multiple Evacuation Centers', and 'Textbox a\naaa\b<>'. At the bottom, there are buttons for 'Cancel', 'Draft', 'Live', and 'Save Template'.

Renaming a Template

Template can be renamed by clicking the kebab menu and selecting **Rename**.




Once clicked, the user will be able to update the name using the inline text editor. Make the needed changes and click **Save**.




Deleting a Template

Templates can be deleted by clicking the kebab menu and selecting **Delete**. Note that deleting a template will permanently remove it from the system completely, making it unusable in future Communications.




A confirmation modal will appear. Click **Delete** to proceed.



Duplicating a Template


Templates can be duplicated by clicking the **Duplicate** button, which will create a copy retaining all of the contents of the original template.




The **Create Template** form will open with all of the template's details already prefilled. The template name will be the same as the original with "Copy of..." prepended to it. Make any needed changes and click **Save Template**.

Setting a Template to a Draft State

Templates can be reverted back to a Draft state as needed by clicking the kebab menu and selecting **Set to Draft**. Note that once a template is in a Draft state, it can't be used for Communications until it's been set to Active again.




Once clicked, the **Draft** tag will appear on the template's tile, and the **Set to Live** option will replace the **Set to Draft** option in the actions menu. Click it to reactivate the template and make it usable again.




Moving a Template

Templates can be moved to a different Category by clicking the kebab menu and selecting **Move**.




The **Move Template** modal will appear, prompting the user to select the Category to which they want to move the template. Choose the Category from the dropdown and click **Move**.



Previewing a Template

Users can preview a template, including the operator form and message, by clicking the kebab menu and selecting **Preview**.



The Preview modal will appear with two tabs:

- Operator Form

The screenshot shows the 'Operator Form' for a 'Weather Advisory - Work From Home Notice' template. The form is titled 'Weather Advisory - Work From Home Notice' and has two tabs: 'Operator Form' (selected) and 'Outgoing Message'. The form contains three sections:

- 1. Advisory Type:** A dropdown menu with 'Winter Weather Advisory' selected.
- 2. Employees:** A dropdown menu with 'Non-essential' selected.
- 3. Campus:** A dropdown menu with 'Search or select values' selected.

At the bottom of the form, there are three buttons: 'Close', 'Edit Template', and 'Use Template'.

- Outgoing Message

The screenshot shows the 'Outgoing Message' for a 'Weather Advisory - Work From Home Notice' template. The form is titled 'Weather Advisory - Work From Home Notice' and has two tabs: 'Operator Form' and 'Outgoing Message' (selected). The form is divided into two main sections: 'Details' and 'Audience'.

Details:

- Created:** Jan 8, 2025
- Updated:** 19m ago
- Message Type:** Standard

Audience:


- 10 Delivery Paths**
- 0 Publishing Paths**
- 0 Unique Recipients**

Below the details and audience sections, there is a row of tabs: 'SMS' (selected), 'Email', 'Voice', 'Mobile App', 'Plain Text', and 'Business Messaging Apps'. Below the tabs, there is a large white area with a black border, representing a mobile device screen. At the bottom of the form, there are three buttons: 'Close', 'Edit Template', and 'Use Template'.

From here, users can either edit the template or use it to launch a new Communication. If neither needs to be done, click **Close** to close the preview.

Searching for Communications Templates

Use the search bar to locate Communications templates by name. Using only a partial name will also return results containing the search query. For example, searching "wea" will return any templates with the word "Weather" in their name.



Click the X in the search field to clear the search query.


Filtering Templates

The template library can be filtered by the following attributes:

- Category
- Event Type
- Status


Filtering by Category

Click the **Categories** dropdown menu to filter templates by Category.



Multiple Categories can be selected at once. When the Category filter is applied, the dropdown will show the number of applied Categories. For example, in the


image below, the filters for the Emergency Response and Employee Weather Emergency Categories are applied.




Click **Clear All** at the bottom of the filter dropdown to remove the filters.

Filtering by Event Type

Click the Event Types dropdown to select an Event Type filter, which will display only templates with the selected Event Type. A template's Event Type can be seen by expanding the details on its card in the list view.




Multiple Event Types can be selected at once. When the Event Type filter is applied, the dropdown will show the number of applied Event Types. For example, in the image below, the filters for the Wildfires and Tropical Storm Event Types are applied.



Click **Clear All** at the bottom of the filter dropdown to remove the filters.

Filter by Status

There are two statuses that templates can have: Draft or Active. Click the **Statuses** dropdown to filter for either status.



Click **Clear All** at the bottom of the filter dropdown to remove the filters.

Creating Communications Templates


Once a Communications template is created, it can be used to easily send out messages using the predefined selections. The process below outlines creating a new template, but also applies to editing existing templates.

To create a Communications template:


1. Navigate to **Communications > Templates** and click **Create Template**.



2. Enter a template name to be used for identification, organization, and retrieval. It must be 100 characters or less in length and unique within the system.




3. Click **Enter a template description** to add a description of the template to assist with appropriate usage for specific use cases. The description must be 500 characters or less.




Click **Save**.


- Once the template itself has been saved, this description will be displayed for the operators' convenience during template selection when launching a Communication.




- Optionally, click **Select Category** to choose the most appropriate Category for this template and click **Save**. Templates with assigned Categories will be grouped within their respective Category in the template library, while templates without a Category will automatically appear in the **Uncategorized** section within the template library.



If none of the existing Categories are appropriate for this template, create a new one by typing it in the field and clicking **Save**. Once saved, the new or selected Category will appear beneath the Communication template's title. Click on it to edit it again.




- Once the template is saved, Categories will appear in the Communications Templates Library as sections, as well as above the template name on the individual template tiles.




- Categories can be viewed, renamed, or deleted from the Communications Templates library by clicking the kebab menu icon for the desired Category. Note that when a Category is deleted, all of its templates will be moved to **Uncategorized**.
- A Communication template can only be assigned one Category.

- A template's Category can be changed or removed by editing it.
- Categories can also be created from the library by clicking **Add Category**.




5. If desired, click **Add Event Type** to assign an Event Type to this template from the dropdown menu, which will later be used to suggest templates when launching a Communication with the associated Event Type. There's no limit to the amount of Event Types that can be assigned to a template.

If an Event Type was included by mistake, click the X on its chip in the **Add Event Type** modal to remove it.



After clicking **Save** in this modal, the selected Event Types will populate beneath the Communication's title. Click on them to edit the selections again as needed.



6. Scroll down to the **Operator Form** section to add the necessary Operator Form Variables. To do this, either:
 - Choose from the list of existing variables and click the plus sign, or drag the desired variables into the Operator Form.

- Click **Add Variable** to create a new variable. Note that variables can also be added from the Variable Library. See [Creating Communications Variables](#) for more details.

Click **Save and Add to Form** after naming the variable and choosing from one of the following variable types:

◦ Single Selection

Add Variable

Type

Variable Type

Single Selection

Name

Variable Name

Tooltip

Tooltip

Options

Option 1

Option 2

Option 3

+ Add another option

Cancel

Save and Add to Form

Save

◦ Multiple Selection

Add Variable

Type

Variable Type

Multiple Selection

Name

Variable Name

Tooltip

Tooltip

Options

Option 1

Option 2

Option 3

+ Add another option

Cancel

Save and Add to Form

Save

- Text Box

Add Variable

*Type

Variable Type
Text Box

*Name

Variable Name

Tooltip

Tooltip

*Limit

1

1 - 399 Characters

Cancel

Save and Add to Form

Save

- Textarea

Add Variable

*Type

Variable Type
Textarea

*Name

Variable Name

Tooltip

Tooltip

*Limit

100

100 - 50,000 Characters

Cancel

Save and Add to Form

Save

- Date

Add Variable

*Type: Variable Type
Date

*Name: Variable Name

Tooltip: Tooltip

*Format: Format
MM-DD-YYYY

☒ 24 Hour Clock ☐ 12 Hour Clock

Cancel Save and Add to Form Save

- **NOTE:** Clicking **Save** will only add the variable to the Variable Library.

7. Once a variables have been added, if desired, select a response to set it as a predefined value to be used during the Communication launch.

Communication Templates / Create Template

Weather Advisory - Work from Home Notice

Enter a template description

Category Name: Employee Weather Emergency Event Type: Weather Wind Wildfires Thunderstorm

Operator Form Message Recipients Operator Permissions

1. Office Name

New York

- HQ (Washington D.C)
- Los Angeles
- Chicago
- New York

Required

Hover over a variable to reveal additional actions.

Click the corresponding icon to:

- **Lock Variable** - If a specific variable value has been defined (such as "New York" in the screenshot above), the selected answer will be preselected in the Operator Form during launch. It'll be visible for reference but not editable. Locked variables are denoted by the **Locked** icon next to their names. Click the **Unlock Variable** icon to unlock the variable again as needed.

- **Hide Variable** - If a specific variable value has been defined, the value will be hidden in the Operator Form during launch but still appear in the sent Communication. Once applied, the **Hidden** icon will appear next to the variable's name. Click the **Show Variable** icon below to show it again as needed.

- **Delete Variable** - Removes the variable from the form. It can be added again as needed.

- **Mark Variable as Required** - Requires that this variable be completed in order to launch the Communication.

8. Once the Operator Form is finished, click the **Message** tab to configure the template's message(s). This tab contains critical configuration options that determine how Communications will be delivered, what content they will contain, and what options are available to operators during launch.

- For the **Configure Public Settings** section, choose one of the below priorities:

- Standard
- High Priority
- Threat to Life
- Click **Edit Paths** under **How Will Your Message Be Delivered?** to set the Delivery Paths and Publishing Paths for this template.

- The top section of the modal displays available Delivery Paths.

Choose paths from the following Delivery Methods:


- SMS
- Email
- Voice
- Mobile App
- Plain Text
- Business Management apps

- The bottom section displays available Publishing Paths.



Choose paths from the following Publishing Methods:

- Everbridge Web Widget
 - Alertus
 - Member Portal
 - Social Media
 - Everbridge Network
 - Web Posting
 - Audio Bulletin Board
- **NOTE:** Public Safety and government customers will instead see the Message Priority selector in the **Configure the Message** section.



9. Scroll down to the **Configure the Message** and choose the Notification Type, which will update the available items in the form below.

- **Standard Message Type** - A standard message that doesn't include a poll or Conference Bridge.

Communication Templates / Create Template

Weather Advisory - Work from Home Notice

Enter a template description

Category Name: Employee Weather Emergency Event Type: Weather Wind Wildfires Thunderstorm

Operator Form Message Recipients Operator Permissions

Configure Public Settings Standard

How Will Your Message Be Delivered?

13 Delivery Paths Edit Paths

Configure the Message

Standard Polling Conference

Subject Standard Message

Message Body Add Custom Message

Default Message

Home Email, sms1, Home Phone, email2, sms2, extension phone, ms...

Default Message

Email/Fax: 2483 SMS: 459 Estimated SMS Messages: 0

Cancel Draft Live

Save Template

Add Variables To Your Message

Search by Name

- Textbox Alert ID
- Textbox Alert Title
- Textbox Alert Description
- Textbox Alert Severity
- Textbox Alert Description
- Textbox Alert Severity
- Textbox Alert Start Time
- Textbox Alert Updated Time
- Textbox Alert Description
- Textbox Alert Severity
- Textbox Alert Start Time
- Textbox Alert Updated Time
- Textbox Alert Expiration Time
- Multiple Alert Categories
- Multiple Alert Subcategories
- Textbox Alert State/Province
- Textbox Alert Phone Number

- **Polling Message Type** - Use this option to send a Polling Notification by adding as many Poll Responses as needed. Poll Responses are the answer options for your poll question, which is entered in the Notification body as well as the Notification Reports. Recipients can

select only one response.


The screenshot displays the 'Weather Advisory - Work from Home Notice' template configuration in the Everbridge 360 interface. The 'Configure the Message' section is highlighted with a red box, showing the 'Polling' message type selected. Below this, the 'Poll Responses' section is also highlighted with a red box, showing a single response field with the number '1' and a 'Use Quotas' checkbox.

- Select the **Use Quota** checkbox and enter number in the quota field when you need a certain amount of replies for one or more responses.
- **Conference Message Type** - This option will prompt recipients to join a Conference Bridge. Everbridge Conference Bridge Notifications can support up to 96 contacts, while Custom Conference Bridge and Smart Conference Bridge Notifications can support up to 250 contacts. Any Notification beyond 50 will be sent only when an earlier Notification

either expires or is stopped.

The screenshot displays the 'Create Template' interface in Everbridge 360. The title is 'Weather Advisory - Work from Home Notice'. The 'Category Name' is 'Employee Weather Emergency' and the 'Event Type' is 'Weather'. The 'Message' tab is selected under 'Configure Public Settings'. The 'How Will Your Message Be Delivered?' section shows '13 Delivery Paths'. The 'Configure the Message' section has 'Standard', 'Polling', and 'Conference' tabs, with 'Conference' selected. The 'Subject' is 'Conference Message'. The 'Message Body' section shows a 'Default Message' placeholder. The 'Default Message' field is highlighted with a red box. The 'Conference' section shows 'Everbridge Conference Bridge 1' selected. The bottom of the screen has buttons for 'Cancel', 'Draft', 'Live', and 'Save Template'.


10. Enter the desired message in the **Default Message** field and drag the desired variables into place as needed. The included variables will appear in the message box in purple.




Keep the following conventions in mind when crafting a Standard type Default Message:

- SMS messages will not exceed three message segments.
 - SMS messages will not exceed the standard 459 character (three SMS segments).
 - SMS messages containing non-GSM-7 characters will not exceed 201 characters (3 SMS segments).
 - This limit will include any auto-generated text (e.g. Confirmation Instructions, Short URL, etc.).
 - Messages longer than the limit will include a link to the SMS Web Page Message.
11. If desired, click **Add Custom Message** to craft messages specific to certain message paths, such as SMS, Email, Voice, etc. Make the selection(s) and


click **Save**.



- Once saved, note that the **Paths** section above the **Default Message** field will now display all of the paths except for those selected on the **Customize Message Paths** page. Instead, the selected path will have its own subsection under **Message Body** to the left.



Click it to configure the custom message for the chosen path.




Repeat this process as needed for each path that needs a custom message.

- Paths can be removed by clicking the trash icon next to their name from the **Message Body** section.

- Continue to the **Attachments** section and click the **Add** button to upload up to five attachments to be sent via supported message paths. Files can either be selected by browsing the device or by being dragged and dropped into the modal. Individual files can be up to 5MB each for a maximum of 20 MB per template.

Click **Attach** once the files are selected.



Once attached, the files will populate under the **Attachments** header. If needed, click the **X** next to the file to remove it from the message, or click

Add to attach more files.

Attachments
Total File Size: 3.43 MB

+ Add

Launching a Communication from Everbridge 360.pdf | 3.43 MB

- After the **Message** tab is finished, click the **Recipients** tab to select recipients via Groups, Individuals, and/or Rules. This selection process mirrors that of [Step 5: Recipient Management](#) of the Launch Communication workflow, so refer to that section for more details.

Weather Advisory - Work from Home Notice

Edit
Preview

Enter a template description

Category Name: Employee Weather Emergency
Event Type: Weather Wind Wildfires Thunderstorm

Operator Form
Message
Recipients
Operator Permissions

Add Recipients

Search by individual, group or rule name or by group description
Advanced

Hide Recipient Selector
Upload List
Clear all

Groups
Individuals
Rules
Map


Search for location
Latitude: Longitude:

Selection
Static 0
Last Known 0
Expected 0


Selected Recipients 0

Cancel
Draft
Live
Save Template

- If desired, click the **Show** or **Hide Recipient Selector** to customize the view of this page to reveal or collapse the list of recipients.



- Click **Clear All** to clear any selections that have been made and start the recipient selection from the beginning. Note that this option will only appear if selections have been made.



14. Click the **Operator Permissions** tab to configure and control what operators can view and edit when using this template to launch Communications.

Communication Templates / Create Template

Weather Advisory - Work from Home Notice

Enter a template description

Category Name: Employee Weather Emergency Event Type: Weather Wind Wildfires Thunderstorm

Operator Form Message Recipients **Operator Permissions**


Form Component	View	Edit	Add/Remove
Message Content	☒	☒	
Recipients	☒	☒	
Settings	☒	☒	
Publishing Paths	☒	☒	☐
Everbridge Web Widget	☒	☒	☐
Alertus	☒	☒	☐
Member Portal	☒	☒	☐
Social Media	☒	☒	☐
Everbridge Network	☒	☒	☐
Web Posting	☒	☒	☐
Audio Bulletin Board	☒	☒	☐

Cancel Draft Live Save Template


The page is broken into three permission columns: View, Edit, and Add/Remove.

- **View** - Allows operators to see the message content, selected recipients, settings, and publishing paths.
 - **Edit** - Allows operators to modify the message content, recipient selections, settings, and publishing paths.
 - **Edit** permissions require that the corresponding **View** permission is enabled.
 - **Add/Remove** - Allows operators to add or remove publishing paths.
15. Click the **Settings** cog icon on the **Communications Toolbar** to configure Content, Delivery, Sender Information, and Recipient Interaction settings. This process mirrors [Step 6: Settings](#) of the Launch Communication flow, so

refer there for more details.



- NOTE: When a template is selected when launching a Communication, its Settings selections will override the Organization's default settings.
16. Choose what state this template should be saved in between either **Draft** or **Live**. Live templates will be usable immediately, whereas drafts will be saved to be completed later.



17. Click **Save Template**. Optionally, click the downward arrow on the **Save Template** button to save and duplicate this template.

